

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Shigellosis and amebiasis (A03,A06)													
All races, both sexes.....	4	-	-	2	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	3	-	-	1	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All races, both sexes.....	6,758	11	14	5	5	15	36	122	325	915	2,446	2,864	-
Male.....	2,541	8	8	2	4	4	16	53	174	407	970	895	-
Female.....	4,217	3	6	3	1	11	20	69	151	508	1,476	1,969	-
White, both sexes.....	6,252	5	9	4	4	9	31	98	275	818	2,284	2,715	-
Male.....	2,345	4	5	2	3	3	14	46	148	360	905	855	-
Female.....	3,907	1	4	2	1	6	17	52	127	458	1,379	1,860	-
Black, both sexes.....	425	4	4	1	-	5	4	19	43	83	135	127	-
Male.....	161	3	2	-	-	1	2	6	22	38	54	33	-
Female.....	264	1	2	1	-	4	2	13	21	45	81	94	-
American Indian 1/, both sexes.....	31	1	1	-	-	1	-	4	3	7	10	4	-
Male.....	13	1	1	-	-	-	-	-	1	4	5	1	-
Female.....	18	-	-	-	-	1	-	4	2	3	5	3	-
Asian or Pacific Islander 2/, both sexes	50	1	-	-	1	-	1	1	4	7	17	18	-
Male.....	22	-	-	-	1	-	-	1	3	5	6	6	-
Female.....	28	1	-	-	-	-	1	-	1	2	11	12	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Tuberculosis (A16-A19)													
All races, both sexes.....	554	2	-	1	6	14	32	73	88	97	151	90	-
Male.....	342	1	-	-	4	7	23	57	66	53	82	49	-
Female.....	212	1	-	1	2	7	9	16	22	44	69	41	-
White, both sexes.....	343	1	-	1	4	8	16	41	48	54	94	76	-
Male.....	209	1	-	-	3	6	10	31	38	30	48	42	-
Female.....	134	-	-	1	1	2	6	10	10	24	46	34	-
Black, both sexes.....	122	1	-	-	1	3	13	22	27	24	26	5	-
Male.....	83	-	-	-	-	-	11	20	18	17	14	3	-
Female.....	39	1	-	-	1	3	2	2	9	7	12	2	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	1	-	4	2	5	-	-
Male.....	5	-	-	-	-	-	1	-	2	-	2	-	-
Female.....	7	-	-	-	-	-	-	-	2	2	3	-	-
Asian or Pacific Islander 2/, both sexes	77	-	-	-	1	3	2	10	9	17	26	9	-
Male.....	45	-	-	-	1	1	1	6	8	6	18	4	-
Female.....	32	-	-	-	-	2	1	4	1	11	8	5	-
Respiratory tuberculosis (A16)													
All races, both sexes.....	424	2	-	1	3	10	27	53	62	73	119	74	-
Male.....	266	1	-	-	2	4	18	42	50	41	66	42	-
Female.....	158	1	-	1	1	6	9	11	12	32	53	32	-
White, both sexes.....	264	1	-	1	2	5	15	28	35	39	76	62	-
Male.....	165	1	-	-	1	4	9	21	31	23	39	36	-
Female.....	99	-	-	1	1	1	6	7	4	16	37	26	-
Black, both sexes.....	89	1	-	-	-	3	9	17	19	17	19	4	-
Male.....	61	-	-	-	-	-	7	16	13	12	11	2	-
Female.....	28	1	-	-	-	3	2	1	6	5	8	2	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	1	-	1	2	4	-	-
Male.....	3	-	-	-	-	-	1	-	-	-	2	-	-
Female.....	5	-	-	-	-	-	-	-	1	2	2	-	-
Asian or Pacific Islander 2/, both sexes	63	-	-	-	1	2	2	8	7	15	20	8	-
Male.....	37	-	-	-	1	-	1	5	6	6	14	4	-
Female.....	26	-	-	-	-	2	1	3	1	9	6	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Measles (B05)													
All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	7,407	1	1	-	14	72	489	2,815	2,413	871	570	161	-
Male.....	4,910	1	-	-	9	49	326	1,997	1,761	464	249	54	-
Female.....	2,497	-	1	-	5	23	163	818	652	407	321	107	-
White, both sexes.....	5,959	1	1	-	9	55	387	2,345	1,887	682	457	135	-
Male.....	4,005	1	-	-	5	36	260	1,686	1,395	367	207	48	-
Female.....	1,954	-	1	-	4	19	127	659	492	315	250	87	-
Black, both sexes.....	1,049	-	-	-	4	14	65	382	409	107	56	12	-
Male.....	690	-	-	-	3	11	41	254	296	61	23	1	-
Female.....	359	-	-	-	1	3	24	128	113	46	33	11	-
American Indian 1/, both sexes.....	105	-	-	-	-	1	19	33	39	11	2	-	-
Male.....	66	-	-	-	-	1	12	20	23	8	2	-	-
Female.....	39	-	-	-	-	-	7	13	16	3	-	-	-
Asian or Pacific Islander 2/, both sexes	294	-	-	-	1	2	18	55	78	71	55	14	-
Male.....	149	-	-	-	1	1	13	37	47	28	17	5	-
Female.....	145	-	-	-	-	1	5	18	31	43	38	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09, B25-B49,B55-B99)													
All races, both sexes.....	5,825	154	63	51	97	136	229	511	919	1,098	1,463	1,104	-
Male.....	2,982	84	30	36	56	80	130	313	502	584	718	449	-
Female.....	2,843	70	33	15	41	56	99	198	417	514	745	655	-
White, both sexes.....	4,850	107	48	40	68	92	145	374	745	928	1,287	1,016	-
Male.....	2,471	57	20	28	38	51	89	236	414	487	639	412	-
Female.....	2,379	50	28	12	30	41	56	138	331	441	648	604	-
Black, both sexes.....	767	41	9	7	24	39	67	114	143	124	130	69	-
Male.....	399	24	6	5	15	27	30	66	70	75	53	28	-
Female.....	368	17	3	2	9	12	37	48	73	49	77	41	-
American Indian 1/, both sexes.....	51	3	2	1	1	1	6	9	7	9	10	2	-
Male.....	29	2	1	1	-	1	5	3	5	5	5	1	-
Female.....	22	1	1	-	1	-	1	6	2	4	5	1	-
Asian or Pacific Islander 2/, both sexes	157	3	4	3	4	4	11	14	24	37	36	17	-
Male.....	83	1	3	2	3	1	6	8	13	17	21	8	-
Female.....	74	2	1	1	1	3	5	6	11	20	15	9	-
Malignant neoplasms (C00-C97)													
All races, both sexes.....	562,875	72	364	959	1,653	3,463	13,288	50,167	103,171	138,466	163,608	87,656	8
Male.....	292,857	39	191	499	987	1,692	5,701	25,370	56,559	75,924	85,927	39,964	4
Female.....	270,018	33	173	460	666	1,771	7,587	24,797	46,612	62,542	77,681	47,692	4
White, both sexes.....	483,939	60	287	776	1,296	2,660	10,289	39,557	85,373	118,826	145,585	79,226	4
Male.....	252,049	31	146	404	781	1,329	4,522	20,133	46,817	65,198	76,691	35,995	2
Female.....	231,890	29	141	372	515	1,331	5,767	19,424	38,556	53,628	68,894	43,231	2
Black, both sexes.....	64,049	9	55	143	261	618	2,365	8,818	14,762	16,055	14,277	6,682	4
Male.....	33,069	6	33	72	145	263	907	4,365	8,181	8,747	7,245	3,103	2
Female.....	30,980	3	22	71	116	355	1,458	4,453	6,581	7,308	7,032	3,579	2
American Indian 1/, both sexes.....	2,561	1	1	6	22	25	83	330	623	685	561	224	-
Male.....	1,345	1	-	4	16	18	37	163	350	360	285	111	-
Female.....	1,216	-	1	2	6	7	46	167	273	325	276	113	-
Asian or Pacific Islander 2/, both sexes	12,326	2	21	34	74	160	551	1,462	2,413	2,900	3,185	1,524	-
Male.....	6,394	1	12	19	45	82	235	709	1,211	1,619	1,706	755	-
Female.....	5,932	1	9	15	29	78	316	753	1,202	1,281	1,479	769	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	8,067	-	-	1	18	44	251	1,136	2,019	1,915	1,741	942	-
Male.....	5,510	-	-	-	10	23	168	857	1,582	1,375	1,068	427	-
Female.....	2,557	-	-	1	8	21	83	279	437	540	673	515	-
White, both sexes.....	6,720	-	-	1	11	27	172	856	1,627	1,607	1,551	868	-
Male.....	4,555	-	-	-	5	10	118	656	1,290	1,137	949	390	-
Female.....	2,165	-	-	1	6	17	54	200	337	470	602	478	-
Black, both sexes.....	1,062	-	-	-	7	9	54	216	328	252	139	57	-
Male.....	769	-	-	-	5	8	37	160	245	198	88	28	-
Female.....	293	-	-	-	2	1	17	56	83	54	51	29	-
American Indian 1/, both sexes.....	43	-	-	-	-	1	2	4	11	12	12	1	-
Male.....	26	-	-	-	-	1	-	3	7	8	7	-	-
Female.....	17	-	-	-	-	-	2	1	4	4	5	1	-
Asian or Pacific Islander 2/, both sexes	242	-	-	-	-	7	23	60	53	44	39	16	-
Male.....	160	-	-	-	-	4	13	38	40	32	24	9	-
Female.....	82	-	-	-	-	3	10	22	13	12	15	7	-
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	13,592	-	-	-	5	28	246	1,452	3,379	3,726	3,376	1,380	-
Male.....	10,750	-	-	-	4	25	207	1,244	2,867	3,006	2,537	860	-
Female.....	2,842	-	-	-	1	3	39	208	512	720	839	520	-
White, both sexes.....	11,878	-	-	-	5	26	206	1,200	2,847	3,270	3,049	1,275	-
Male.....	9,493	-	-	-	4	24	180	1,053	2,456	2,670	2,310	796	-
Female.....	2,385	-	-	-	1	2	26	147	391	600	739	479	-
Black, both sexes.....	1,453	-	-	-	-	1	34	222	467	392	262	75	-
Male.....	1,055	-	-	-	-	-	21	165	357	291	174	47	-
Female.....	398	-	-	-	-	1	13	57	110	101	88	28	-
American Indian 1/, both sexes.....	52	-	-	-	-	-	-	10	18	9	10	5	-
Male.....	43	-	-	-	-	-	-	8	17	7	10	1	-
Female.....	9	-	-	-	-	-	-	2	1	2	-	4	-
Asian or Pacific Islander 2/, both sexes	209	-	-	-	-	1	6	20	47	55	55	25	-
Male.....	159	-	-	-	-	1	6	18	37	38	43	16	-
Female.....	50	-	-	-	-	-	-	2	10	17	12	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	11,388	1	-	-	14	127	456	1,151	1,879	2,555	3,255	1,950	-
Male.....	6,757	-	-	-	7	60	248	704	1,259	1,700	1,871	908	-
Female.....	4,631	1	-	-	7	67	208	447	620	855	1,384	1,042	-
White, both sexes.....	8,551	1	-	-	9	98	332	793	1,321	1,901	2,517	1,579	-
Male.....	5,099	-	-	-	4	48	189	483	899	1,291	1,444	741	-
Female.....	3,452	1	-	-	5	50	143	310	422	610	1,073	838	-
Black, both sexes.....	1,998	-	-	-	3	18	81	262	400	460	512	262	-
Male.....	1,193	-	-	-	2	8	42	176	264	295	293	113	-
Female.....	805	-	-	-	1	10	39	86	136	165	219	149	-
American Indian 1/, both sexes.....	90	-	-	-	-	1	6	14	22	25	17	5	-
Male.....	53	-	-	-	-	1	3	8	15	16	8	2	-
Female.....	37	-	-	-	-	-	3	6	7	9	9	3	-
Asian or Pacific Islander 2/, both sexes	749	-	-	-	2	10	37	82	136	169	209	104	-
Male.....	412	-	-	-	1	3	14	37	81	98	126	52	-
Female.....	337	-	-	-	1	7	23	45	55	71	83	52	-
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	53,586	-	-	1	35	275	1,302	4,793	9,058	11,634	15,417	11,069	2
Male.....	27,125	-	-	1	26	155	705	2,657	5,339	6,617	7,652	3,972	1
Female.....	26,461	-	-	-	9	120	597	2,136	3,719	5,017	7,765	7,097	1
White, both sexes.....	45,174	-	-	1	21	205	997	3,674	7,174	9,693	13,474	9,934	1
Male.....	22,926	-	-	1	15	114	540	2,058	4,293	5,569	6,772	3,564	-
Female.....	22,248	-	-	-	6	91	457	1,616	2,881	4,124	6,702	6,370	1
Black, both sexes.....	6,922	-	-	-	10	54	238	947	1,578	1,600	1,591	903	1
Male.....	3,443	-	-	-	8	30	131	509	870	860	720	314	1
Female.....	3,479	-	-	-	2	24	107	438	708	740	871	589	-
American Indian 1/, both sexes.....	252	-	-	-	1	3	11	35	64	61	55	22	-
Male.....	132	-	-	-	1	2	7	14	40	35	22	11	-
Female.....	120	-	-	-	-	1	4	21	24	26	33	11	-
Asian or Pacific Islander 2/, both sexes	1,238	-	-	-	3	13	56	137	242	280	297	210	-
Male.....	624	-	-	-	2	9	27	76	136	153	138	83	-
Female.....	614	-	-	-	1	4	29	61	106	127	159	127	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	17,146	6	19	25	38	90	368	2,503	4,181	3,884	4,266	1,766	-
Male.....	11,343	4	13	16	17	58	258	1,969	3,241	2,552	2,446	769	-
Female.....	5,803	2	6	9	21	32	110	534	940	1,332	1,820	997	-
White, both sexes.....	13,613	6	14	22	31	52	243	1,841	3,087	3,128	3,650	1,539	-
Male.....	8,884	4	9	14	13	32	159	1,448	2,371	2,049	2,117	668	-
Female.....	4,729	2	5	8	18	20	84	393	716	1,079	1,533	871	-
Black, both sexes.....	2,264	-	4	1	5	28	77	447	770	448	347	137	-
Male.....	1,592	-	3	-	4	20	60	349	619	297	181	59	-
Female.....	672	-	1	1	1	8	17	98	151	151	166	78	-
American Indian 1/, both sexes.....	151	-	-	-	-	-	5	38	40	30	28	10	-
Male.....	100	-	-	-	-	-	4	28	33	18	13	4	-
Female.....	51	-	-	-	-	-	1	10	7	12	15	6	-
Asian or Pacific Islander 2/, both sexes	1,118	-	1	2	2	10	43	177	284	278	241	80	-
Male.....	767	-	1	2	-	6	35	144	218	188	135	38	-
Female.....	351	-	-	-	2	4	8	33	66	90	106	42	-
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	34,117	-	-	2	5	52	538	2,808	6,507	8,671	10,317	5,217	-
Male.....	17,132	-	-	-	3	32	325	1,690	3,872	4,664	4,682	1,864	-
Female.....	16,985	-	-	2	2	20	213	1,118	2,635	4,007	5,635	3,353	-
White, both sexes.....	29,096	-	-	1	4	35	425	2,204	5,411	7,335	9,054	4,627	-
Male.....	14,774	-	-	-	2	23	264	1,341	3,238	4,031	4,192	1,683	-
Female.....	14,322	-	-	1	2	12	161	863	2,173	3,304	4,862	2,944	-
Black, both sexes.....	4,069	-	-	1	1	12	88	508	917	1,079	1,006	457	-
Male.....	1,893	-	-	-	1	6	50	293	542	504	371	126	-
Female.....	2,176	-	-	1	-	6	38	215	375	575	635	331	-
American Indian 1/, both sexes.....	143	-	-	-	-	-	6	20	35	36	32	14	-
Male.....	75	-	-	-	-	-	4	11	19	19	15	7	-
Female.....	68	-	-	-	-	-	2	9	16	17	17	7	-
Asian or Pacific Islander 2/, both sexes	809	-	-	-	-	5	19	76	144	221	225	119	-
Male.....	390	-	-	-	-	3	7	45	73	110	104	48	-
Female.....	419	-	-	-	-	2	12	31	71	111	121	71	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,634	-	-	-	2	2	55	450	932	989	871	333	-
Male.....	2,890	-	-	-	1	1	40	371	779	765	686	247	-
Female.....	744	-	-	-	1	1	15	79	153	224	185	86	-
White, both sexes.....	2,905	-	-	-	2	2	42	329	708	792	739	291	-
Male.....	2,283	-	-	-	1	1	30	265	588	608	577	213	-
Female.....	622	-	-	-	1	1	12	64	120	184	162	78	-
Black, both sexes.....	659	-	-	-	-	-	13	113	204	179	117	33	-
Male.....	547	-	-	-	-	-	10	98	177	139	96	27	-
Female.....	112	-	-	-	-	-	3	15	27	40	21	6	-
American Indian 1/, both sexes.....	21	-	-	-	-	-	-	-	10	7	2	2	-
Male.....	18	-	-	-	-	-	-	-	8	7	1	2	-
Female.....	3	-	-	-	-	-	-	-	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes	49	-	-	-	-	-	-	8	10	11	13	7	-
Male.....	42	-	-	-	-	-	-	8	6	11	12	5	-
Female.....	7	-	-	-	-	-	-	-	4	-	1	2	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races, both sexes.....	158,760	1	1	4	25	135	1,852	12,480	31,216	48,157	48,358	16,528	3
Male.....	88,372	1	1	4	17	79	911	6,939	18,326	27,568	26,475	8,049	2
Female.....	70,388	-	-	-	8	56	941	5,541	12,890	20,589	21,883	8,479	1
White, both sexes.....	138,730	-	1	2	20	111	1,484	9,895	26,366	42,163	43,671	15,016	1
Male.....	76,502	-	1	2	13	61	726	5,418	15,264	23,937	23,838	7,241	1
Female.....	62,228	-	-	-	7	50	758	4,477	11,102	18,226	19,833	7,775	-
Black, both sexes.....	16,494	1	-	2	4	18	290	2,252	4,139	4,973	3,679	1,134	2
Male.....	9,839	1	-	2	3	14	146	1,326	2,672	3,037	2,043	594	1
Female.....	6,655	-	-	-	1	4	144	926	1,467	1,936	1,636	540	1
American Indian 1/, both sexes.....	695	-	-	-	-	-	11	54	184	246	157	43	-
Male.....	384	-	-	-	-	-	4	30	109	129	87	25	-
Female.....	311	-	-	-	-	-	7	24	75	117	70	18	-
Asian or Pacific Islander 2/, both sexes	2,841	-	-	-	1	6	67	279	527	775	851	335	-
Male.....	1,647	-	-	-	1	4	35	165	281	465	507	189	-
Female.....	1,194	-	-	-	-	2	32	114	246	310	344	146	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant melanoma of skin (C43)													
All races, both sexes.....	8,461	-	1	2	31	175	466	1,174	1,742	1,737	2,035	1,098	-
Male.....	5,506	-	-	-	20	95	266	759	1,214	1,198	1,318	636	-
Female.....	2,955	-	1	2	11	80	200	415	528	539	717	462	-
White, both sexes.....	8,258	-	1	2	30	171	451	1,145	1,703	1,699	1,987	1,069	-
Male.....	5,408	-	-	-	20	92	261	741	1,191	1,181	1,300	622	-
Female.....	2,850	-	1	2	10	79	190	404	512	518	687	447	-
Black, both sexes.....	136	-	-	-	1	2	11	18	26	22	33	23	-
Male.....	59	-	-	-	-	2	4	10	14	7	12	10	-
Female.....	77	-	-	-	1	-	7	8	12	15	21	13	-
American Indian 1/, both sexes.....	22	-	-	-	-	2	-	4	5	4	5	2	-
Male.....	14	-	-	-	-	1	-	4	5	1	1	2	-
Female.....	8	-	-	-	-	1	-	-	-	3	4	-	-
Asian or Pacific Islander 2/, both sexes	45	-	-	-	-	-	4	7	8	12	10	4	-
Male.....	25	-	-	-	-	-	1	4	4	9	5	2	-
Female.....	20	-	-	-	-	-	3	3	4	3	5	2	-
Malignant neoplasm of breast (C50)													
All races, both sexes.....	40,970	-	-	-	15	344	2,184	5,990	8,756	8,179	9,075	6,426	1
Male.....	371	-	-	-	-	-	10	36	70	91	104	60	-
Female.....	40,599	-	-	-	15	344	2,174	5,954	8,686	8,088	8,971	6,366	1
White, both sexes.....	34,160	-	-	-	8	218	1,551	4,511	7,064	6,960	8,035	5,813	-
Male.....	315	-	-	-	-	-	8	28	56	78	91	54	-
Female.....	33,845	-	-	-	8	218	1,543	4,483	7,008	6,882	7,944	5,759	-
Black, both sexes.....	5,852	-	-	-	6	107	548	1,273	1,428	1,043	898	548	1
Male.....	53	-	-	-	-	-	2	8	14	13	11	5	-
Female.....	5,799	-	-	-	6	107	546	1,265	1,414	1,030	887	543	1
American Indian 1/, both sexes.....	170	-	-	-	-	3	9	40	50	28	21	19	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	168	-	-	-	-	3	9	40	50	28	20	18	-
Asian or Pacific Islander 2/, both sexes	788	-	-	-	1	16	76	166	214	148	121	46	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	787	-	-	-	1	16	76	166	214	148	120	46	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	4,021	-	-	-	8	183	645	915	892	611	506	261	-
Male.....
Female.....	4,021	-	-	-	8	183	645	915	892	611	506	261	-
White, both sexes.....	3,037	-	-	-	7	129	480	691	683	460	390	197	-
Male.....
Female.....	3,037	-	-	-	7	129	480	691	683	460	390	197	-
Black, both sexes.....	805	-	-	-	1	50	137	183	160	126	96	52	-
Male.....
Female.....	805	-	-	-	1	50	137	183	160	126	96	52	-
American Indian 1/, both sexes.....	32	-	-	-	-	-	5	8	9	6	1	3	-
Male.....
Female.....	32	-	-	-	-	-	5	8	9	6	1	3	-
Asian or Pacific Islander 2/, both sexes	147	-	-	-	-	4	23	33	40	19	19	9	-
Male.....
Female.....	147	-	-	-	-	4	23	33	40	19	19	9	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	7,456	-	-	-	2	31	168	584	1,583	2,021	1,960	1,107	-
Male.....
Female.....	7,456	-	-	-	2	31	168	584	1,583	2,021	1,960	1,107	-
White, both sexes.....	5,962	-	-	-	1	24	119	463	1,247	1,517	1,606	985	-
Male.....
Female.....	5,962	-	-	-	1	24	119	463	1,247	1,517	1,606	985	-
Black, both sexes.....	1,295	-	-	-	1	6	33	97	286	452	312	108	-
Male.....
Female.....	1,295	-	-	-	1	6	33	97	286	452	312	108	-
American Indian 1/, both sexes.....	32	-	-	-	-	-	3	5	5	9	7	3	-
Male.....
Female.....	32	-	-	-	-	-	3	5	5	9	7	3	-
Asian or Pacific Islander 2/, both sexes	167	-	-	-	-	1	13	19	45	43	35	11	-
Male.....
Female.....	167	-	-	-	-	1	13	19	45	43	35	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All races, both sexes.....	12,703	2	9	25	34	50	240	1,243	2,584	3,159	3,539	1,818	-
Male.....	7,964	1	2	10	20	32	161	885	1,821	2,045	2,083	904	-
Female.....	4,739	1	7	15	14	18	79	358	763	1,114	1,456	914	-
White, both sexes.....	11,142	1	7	17	17	35	184	1,018	2,231	2,790	3,189	1,653	-
Male.....	6,996	-	2	5	9	22	123	728	1,571	1,802	1,900	834	-
Female.....	4,146	1	5	12	8	13	61	290	660	988	1,289	819	-
Black, both sexes.....	1,222	1	1	8	15	13	46	178	286	276	277	121	-
Male.....	744	1	-	5	11	9	30	126	199	176	138	49	-
Female.....	478	-	1	3	4	4	16	52	87	100	139	72	-
American Indian 1/, both sexes.....	102	-	-	-	1	-	2	22	23	29	18	7	-
Male.....	71	-	-	-	-	-	2	16	16	19	12	6	-
Female.....	31	-	-	-	1	-	-	6	7	10	6	1	-
Asian or Pacific Islander 2/, both sexes	237	-	1	-	1	2	8	25	44	64	55	37	-
Male.....	153	-	-	-	-	1	6	15	35	48	33	15	-
Female.....	84	-	1	-	1	1	2	10	9	16	22	22	-
Malignant neoplasm of bladder (C67)													
All races, both sexes.....	13,843	1	-	-	-	7	93	570	1,564	2,817	5,009	3,782	-
Male.....	9,644	1	-	-	-	4	57	406	1,176	2,103	3,540	2,357	-
Female.....	4,199	-	-	-	-	3	36	164	388	714	1,469	1,425	-
White, both sexes.....	12,620	-	-	-	-	5	73	476	1,371	2,562	4,612	3,521	-
Male.....	8,950	-	-	-	-	3	48	354	1,044	1,937	3,327	2,237	-
Female.....	3,670	-	-	-	-	2	25	122	327	625	1,285	1,284	-
Black, both sexes.....	1,034	1	-	-	-	1	17	84	165	220	330	216	-
Male.....	565	1	-	-	-	1	8	46	109	139	168	93	-
Female.....	469	-	-	-	-	-	9	38	56	81	162	123	-
American Indian 1/, both sexes.....	31	-	-	-	-	-	-	3	5	5	12	6	-
Male.....	22	-	-	-	-	-	-	1	3	4	9	5	-
Female.....	9	-	-	-	-	-	-	2	2	1	3	1	-
Asian or Pacific Islander 2/, both sexes	158	-	-	-	-	1	3	7	23	30	55	39	-
Male.....	107	-	-	-	-	-	1	5	20	23	36	22	-
Female.....	51	-	-	-	-	1	2	2	3	7	19	17	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	13,234	15	109	302	204	369	845	1,916	2,975	3,002	2,608	889	-
Male.....	7,315	6	62	144	113	229	527	1,150	1,782	1,645	1,282	375	-
Female.....	5,919	9	47	158	91	140	318	766	1,193	1,357	1,326	514	-
White, both sexes.....	12,177	13	93	252	170	316	754	1,720	2,747	2,790	2,486	836	-
Male.....	6,759	5	53	122	99	192	470	1,042	1,648	1,535	1,233	360	-
Female.....	5,418	8	40	130	71	124	284	678	1,099	1,255	1,253	476	-
Black, both sexes.....	791	2	9	40	21	33	56	153	177	174	90	36	-
Male.....	404	1	4	15	6	21	36	86	103	87	35	10	-
Female.....	387	1	5	25	15	12	20	67	74	87	55	26	-
American Indian 1/, both sexes.....	44	-	-	2	3	3	6	6	8	5	8	3	-
Male.....	24	-	-	2	2	3	4	3	5	3	1	1	-
Female.....	20	-	-	-	1	-	2	3	3	2	7	2	-
Asian or Pacific Islander 2/, both sexes	222	-	7	8	10	17	29	37	43	33	24	14	-
Male.....	128	-	5	5	6	13	17	19	26	20	13	4	-
Female.....	94	-	2	3	4	4	12	18	17	13	11	10	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	54,991	26	111	352	630	771	1,464	3,606	7,694	12,223	17,884	10,228	2
Male.....	30,198	18	56	207	377	461	889	2,199	4,631	7,175	9,681	4,503	1
Female.....	24,793	8	55	145	253	310	575	1,407	3,063	5,048	8,203	5,725	1
White, both sexes.....	48,377	21	84	283	493	599	1,108	2,855	6,436	10,664	16,302	9,530	2
Male.....	26,765	14	39	167	296	365	687	1,766	3,951	6,345	8,921	4,213	1
Female.....	21,612	7	45	116	197	234	421	1,089	2,485	4,319	7,381	5,317	1
Black, both sexes.....	5,255	3	20	51	98	133	294	619	1,030	1,257	1,195	555	-
Male.....	2,663	2	13	31	56	72	168	358	549	650	550	214	-
Female.....	2,592	1	7	20	42	61	126	261	481	607	645	341	-
American Indian 1/, both sexes.....	209	1	-	3	12	5	8	23	38	54	49	16	-
Male.....	118	1	-	1	9	5	4	15	19	33	26	5	-
Female.....	91	-	-	2	3	-	4	8	19	21	23	11	-
Asian or Pacific Islander 2/, both sexes	1,150	1	7	15	27	34	54	109	190	248	338	127	-
Male.....	652	1	4	8	16	19	30	60	112	147	184	71	-
Female.....	498	-	3	7	11	15	24	49	78	101	154	56	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hodgkin's disease (C81)													
All races, both sexes.....	1,271	-	-	3	65	120	135	145	176	209	286	132	-
Male.....	706	-	-	1	36	75	88	103	99	115	140	49	-
Female.....	565	-	-	2	29	45	47	42	77	94	146	83	-
White, both sexes.....	1,121	-	-	3	51	100	109	116	147	192	276	127	-
Male.....	621	-	-	1	29	66	73	81	82	107	135	47	-
Female.....	500	-	-	2	22	34	36	35	65	85	141	80	-
Black, both sexes.....	130	-	-	-	10	19	22	27	27	12	9	4	-
Male.....	74	-	-	-	5	8	13	21	17	4	4	2	-
Female.....	56	-	-	-	5	11	9	6	10	8	5	2	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Male.....	3	-	-	-	1	-	-	1	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	-	-	-	3	1	4	1	2	5	-	1	-
Male.....	8	-	-	-	1	1	2	-	-	4	-	-	-
Female.....	9	-	-	-	2	-	2	1	2	1	-	1	-
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	20,528	2	5	33	133	206	516	1,392	2,922	4,476	6,868	3,975	-
Male.....	11,004	1	3	23	87	131	340	884	1,788	2,629	3,490	1,628	-
Female.....	9,524	1	2	10	46	75	176	508	1,134	1,847	3,378	2,347	-
White, both sexes.....	18,581	2	2	28	101	144	393	1,127	2,523	4,057	6,417	3,787	-
Male.....	9,941	1	1	19	66	95	260	724	1,563	2,380	3,282	1,550	-
Female.....	8,640	1	1	9	35	49	133	403	960	1,677	3,135	2,237	-
Black, both sexes.....	1,390	-	2	5	24	50	105	207	307	301	264	125	-
Male.....	749	-	2	4	15	29	68	125	174	177	112	43	-
Female.....	641	-	-	1	9	21	37	82	133	124	152	82	-
American Indian 1/, both sexes.....	77	-	-	-	1	2	2	7	12	23	22	8	-
Male.....	42	-	-	-	1	2	2	4	5	15	9	4	-
Female.....	35	-	-	-	-	-	-	3	7	8	13	4	-
Asian or Pacific Islander 2/, both sexes	480	-	1	-	7	10	16	51	80	95	165	55	-
Male.....	272	-	-	-	5	5	10	31	46	57	87	31	-
Female.....	208	-	1	-	2	5	6	20	34	38	78	24	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Leukemia (C91-C95)													
All races, both sexes.....	21,825	21	106	314	428	438	657	1,362	2,801	4,611	6,858	4,228	1
Male.....	12,388	14	53	181	251	251	364	786	1,715	2,809	4,020	1,943	1
Female.....	9,437	7	53	133	177	187	293	576	1,086	1,802	2,838	2,285	-
White, both sexes.....	19,481	19	82	251	339	349	507	1,125	2,420	4,082	6,338	3,968	1
Male.....	11,147	13	38	146	199	201	286	653	1,511	2,514	3,756	1,829	1
Female.....	8,334	6	44	105	140	148	221	472	909	1,568	2,582	2,139	-
Black, both sexes.....	1,831	1	18	45	64	63	116	190	306	415	405	208	-
Male.....	951	-	11	26	36	34	62	110	160	227	195	90	-
Female.....	880	1	7	19	28	29	54	80	146	188	210	118	-
American Indian 1/, both sexes.....	78	-	-	3	9	3	5	9	13	15	15	6	-
Male.....	42	-	-	1	6	3	2	6	8	9	7	-	-
Female.....	36	-	-	2	3	-	3	3	5	6	8	6	-
Asian or Pacific Islander 2/, both sexes	435	1	6	15	16	23	29	38	62	99	100	46	-
Male.....	248	1	4	8	10	13	14	17	36	59	62	24	-
Female.....	187	-	2	7	6	10	15	21	26	40	38	22	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	11,307	-	-	-	2	7	155	705	1,788	2,917	3,853	1,879	1
Male.....	6,066	-	-	-	1	4	96	425	1,024	1,617	2,021	878	-
Female.....	5,241	-	-	-	1	3	59	280	764	1,300	1,832	1,001	1
White, both sexes.....	9,148	-	-	-	1	6	99	486	1,340	2,324	3,254	1,637	1
Male.....	5,032	-	-	-	1	3	68	307	791	1,340	1,738	784	-
Female.....	4,116	-	-	-	-	3	31	179	549	984	1,516	853	1
Black, both sexes.....	1,893	-	-	-	-	1	51	194	389	528	515	215	-
Male.....	882	-	-	-	-	1	25	102	197	241	239	77	-
Female.....	1,011	-	-	-	-	-	26	92	192	287	276	138	-
American Indian 1/, both sexes.....	49	-	-	-	-	-	1	6	13	16	11	2	-
Male.....	29	-	-	-	-	-	-	4	6	9	9	1	-
Female.....	20	-	-	-	-	-	1	2	7	7	2	1	-
Asian or Pacific Islander 2/, both sexes	217	-	-	-	1	-	4	19	46	49	73	25	-
Male.....	123	-	-	-	-	-	3	12	30	27	35	16	-
Female.....	94	-	-	-	1	-	1	7	16	22	38	9	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)													
All races, both sexes.....	60	3	-	2	2	-	1	2	7	10	19	14	-
Male.....	34	3	-	2	2	-	1	1	5	5	10	5	-
Female.....	26	-	-	-	-	-	-	1	2	5	9	9	-
White, both sexes.....	46	-	-	1	1	-	-	1	6	9	17	11	-
Male.....	24	-	-	1	1	-	-	1	4	4	10	3	-
Female.....	22	-	-	-	-	-	-	-	2	5	7	8	-
Black, both sexes.....	11	2	-	1	-	-	-	1	1	1	2	3	-
Male.....	7	2	-	1	-	-	-	-	1	1	-	2	-
Female.....	4	-	-	-	-	-	-	1	-	-	2	1	-
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)													
All races, both sexes.....	63,192	20	113	245	558	700	1,742	5,436	10,942	13,854	18,188	11,394	-
Male.....	32,887	8	56	117	371	437	908	3,076	6,329	7,704	9,245	4,636	-
Female.....	30,305	12	57	128	187	263	834	2,360	4,613	6,150	8,943	6,758	-
White, both sexes.....	54,780	18	87	195	443	545	1,350	4,278	9,064	11,932	16,368	10,500	-
Male.....	28,674	8	42	93	299	341	703	2,448	5,301	6,704	8,425	4,310	-
Female.....	26,106	10	45	102	144	204	647	1,830	3,763	5,228	7,943	6,190	-
Black, both sexes.....	6,670	1	20	40	85	116	306	972	1,548	1,519	1,379	684	-
Male.....	3,342	-	12	19	49	72	157	536	872	772	611	242	-
Female.....	3,328	1	8	21	36	44	149	436	676	747	768	442	-
American Indian 1/, both sexes.....	311	-	1	1	5	7	9	33	68	85	72	30	-
Male.....	158	-	-	1	4	5	5	20	37	42	29	15	-
Female.....	153	-	1	-	1	2	4	13	31	43	43	15	-
Asian or Pacific Islander 2/, both sexes	1,431	1	5	9	25	32	77	153	262	318	369	180	-
Male.....	713	-	2	4	19	19	43	72	119	186	180	69	-
Female.....	718	1	3	5	6	13	34	81	143	132	189	111	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	14,204	59	59	84	81	138	340	699	1,416	2,402	4,717	4,209	-
Male.....	7,256	24	28	47	43	89	181	382	838	1,354	2,570	1,700	-
Female.....	6,948	35	31	37	38	49	159	317	578	1,048	2,147	2,509	-
White, both sexes.....	12,655	47	49	60	59	104	263	569	1,190	2,085	4,301	3,928	-
Male.....	6,470	18	25	31	30	67	140	319	705	1,177	2,370	1,588	-
Female.....	6,185	29	24	29	29	37	123	250	485	908	1,931	2,340	-
Black, both sexes.....	1,190	8	9	21	19	29	65	106	174	251	310	198	-
Male.....	594	4	3	15	11	19	33	53	105	136	142	73	-
Female.....	596	4	6	6	8	10	32	53	69	115	168	125	-
American Indian 1/, both sexes.....	51	-	-	1	-	-	1	2	9	14	15	9	-
Male.....	26	-	-	-	-	-	-	1	8	7	7	3	-
Female.....	25	-	-	1	-	-	1	1	1	7	8	6	-
Asian or Pacific Islander 2/, both sexes	308	4	1	2	3	5	11	22	43	52	91	74	-
Male.....	166	2	-	1	2	3	8	9	20	34	51	36	-
Female.....	142	2	1	1	1	2	3	13	23	18	40	38	-
Anemias (D50-D64)													
All races, both sexes.....	4,829	17	17	32	90	136	187	255	322	560	1,224	1,989	-
Male.....	1,940	6	6	21	49	71	98	125	154	264	536	610	-
Female.....	2,889	11	11	11	41	65	89	130	168	296	688	1,379	-
White, both sexes.....	3,734	4	5	18	22	31	42	105	211	437	1,060	1,799	-
Male.....	1,447	2	2	13	11	13	19	50	103	212	471	551	-
Female.....	2,287	2	3	5	11	18	23	55	108	225	589	1,248	-
Black, both sexes.....	970	7	12	13	67	102	142	140	100	110	134	143	-
Male.....	437	2	4	8	37	56	78	69	46	45	53	39	-
Female.....	533	5	8	5	30	46	64	71	54	65	81	104	-
American Indian 1/, both sexes.....	21	-	-	-	1	-	2	1	4	5	3	5	-
Male.....	9	-	-	-	1	-	-	1	1	2	2	2	-
Female.....	12	-	-	-	-	-	2	-	3	3	1	3	-
Asian or Pacific Islander 2/, both sexes	104	6	-	1	-	3	1	9	7	8	27	42	-
Male.....	47	2	-	-	-	2	1	5	4	5	10	18	-
Female.....	57	4	-	1	-	1	-	4	3	3	17	24	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diabetes mellitus (E10-E14)													
All races, both sexes.....	71,382	7	5	21	168	610	1,984	5,753	11,304	15,112	21,189	15,227	2
Male.....	35,478	5	3	11	98	359	1,228	3,513	6,644	8,279	9,874	5,462	2
Female.....	35,904	2	2	10	70	251	756	2,240	4,660	6,833	11,315	9,765	-
White, both sexes.....	56,390	5	4	15	109	379	1,344	4,123	8,378	11,652	17,411	12,968	2
Male.....	28,744	3	3	9	73	234	861	2,591	5,091	6,653	8,425	4,799	2
Female.....	27,646	2	1	6	36	145	483	1,532	3,287	4,999	8,986	8,169	-
Black, both sexes.....	12,459	2	1	6	56	213	562	1,433	2,486	2,861	3,068	1,771	-
Male.....	5,493	2	-	2	22	116	314	795	1,293	1,317	1,169	463	-
Female.....	6,966	-	1	4	34	97	248	638	1,193	1,544	1,899	1,308	-
American Indian 1/, both sexes.....	790	-	-	-	-	6	45	92	167	208	173	99	-
Male.....	381	-	-	-	-	3	29	60	92	104	59	34	-
Female.....	409	-	-	-	-	3	16	32	75	104	114	65	-
Asian or Pacific Islander 2/, both sexes	1,743	-	-	-	3	12	33	105	273	391	537	389	-
Male.....	860	-	-	-	3	6	24	67	168	205	221	166	-
Female.....	883	-	-	-	-	6	9	38	105	186	316	223	-
Nutritional deficiencies (E40-E64)													
All races, both sexes.....	2,852	7	5	3	4	19	36	93	201	333	808	1,343	-
Male.....	1,071	5	3	2	1	12	13	45	97	168	333	392	-
Female.....	1,781	2	2	1	3	7	23	48	104	165	475	951	-
White, both sexes.....	2,375	4	3	3	4	11	26	74	163	252	681	1,154	-
Male.....	875	2	2	2	1	8	10	34	74	124	280	338	-
Female.....	1,500	2	1	1	3	3	16	40	89	128	401	816	-
Black, both sexes.....	393	3	2	-	-	7	9	17	32	70	107	146	-
Male.....	164	3	1	-	-	4	3	10	21	36	47	39	-
Female.....	229	-	1	-	-	3	6	7	11	34	60	107	-
American Indian 1/, both sexes.....	26	-	-	-	-	-	-	2	5	4	6	9	-
Male.....	10	-	-	-	-	-	-	1	1	3	2	3	-
Female.....	16	-	-	-	-	-	-	1	4	1	4	6	-
Asian or Pacific Islander 2/, both sexes	58	-	-	-	-	1	1	-	1	7	14	34	-
Male.....	22	-	-	-	-	-	-	-	1	5	4	12	-
Female.....	36	-	-	-	-	1	1	-	-	2	10	22	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Meningitis (G00,G03)													
All races, both sexes.....	655	82	16	25	35	34	66	111	89	72	88	37	-
Male.....	346	35	10	12	18	17	42	68	51	41	40	12	-
Female.....	309	47	6	13	17	17	24	43	38	31	48	25	-
White, both sexes.....	499	51	12	19	23	30	52	77	63	57	80	35	-
Male.....	257	19	7	7	12	14	30	49	38	33	36	12	-
Female.....	242	32	5	12	11	16	22	28	25	24	44	23	-
Black, both sexes.....	132	23	3	5	9	4	13	29	23	14	7	2	-
Male.....	77	12	3	4	5	3	11	17	12	7	3	-	-
Female.....	55	11	-	1	4	1	2	12	11	7	4	2	-
American Indian 1/, both sexes.....	6	4	-	-	-	-	1	-	1	-	-	-	-
Male.....	4	3	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes	18	4	1	1	3	-	-	5	2	1	1	-	-
Male.....	8	1	-	1	1	-	-	2	1	1	1	-	-
Female.....	10	3	1	-	2	-	-	3	1	-	-	-	-
Parkinson's disease (G20-G21)													
All races, both sexes.....	20,058	-	-	-	2	2	12	60	396	2,310	9,363	7,911	2
Male.....	11,554	-	-	-	1	1	9	38	251	1,507	5,694	4,051	2
Female.....	8,504	-	-	-	1	1	3	22	145	803	3,669	3,860	-
White, both sexes.....	18,864	-	-	-	2	1	11	54	351	2,115	8,832	7,497	1
Male.....	10,895	-	-	-	1	-	9	35	228	1,374	5,399	3,848	1
Female.....	7,969	-	-	-	1	1	2	19	123	741	3,433	3,649	-
Black, both sexes.....	802	-	-	-	-	1	-	4	36	135	361	264	1
Male.....	437	-	-	-	-	1	-	2	20	95	201	117	1
Female.....	365	-	-	-	-	-	-	2	16	40	160	147	-
American Indian 1/, both sexes.....	55	-	-	-	-	-	-	1	1	12	17	24	-
Male.....	32	-	-	-	-	-	-	1	-	9	11	11	-
Female.....	23	-	-	-	-	-	-	-	1	3	6	13	-
Asian or Pacific Islander 2/, both sexes	337	-	-	-	-	-	1	1	8	48	153	126	-
Male.....	190	-	-	-	-	-	-	-	3	29	83	75	-
Female.....	147	-	-	-	-	-	1	1	5	19	70	51	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alzheimer's disease (630)													
All races, both sexes.....	74,632	-	-	-	-	1	8	95	728	3,984	23,009	46,804	3
Male.....	21,800	-	-	-	-	-	3	43	330	1,694	8,250	11,479	1
Female.....	52,832	-	-	-	-	1	5	52	398	2,290	14,759	35,325	2
White, both sexes.....	68,933	-	-	-	-	1	6	86	676	3,563	21,115	43,484	2
Male.....	20,185	-	-	-	-	-	3	40	302	1,522	7,608	10,710	-
Female.....	48,748	-	-	-	-	1	3	46	374	2,041	13,507	32,774	2
Black, both sexes.....	4,760	-	-	-	-	-	2	8	38	360	1,627	2,724	1
Male.....	1,301	-	-	-	-	-	-	3	17	152	539	589	1
Female.....	3,459	-	-	-	-	-	2	5	21	208	1,088	2,135	-
American Indian 1/, both sexes.....	191	-	-	-	-	-	-	1	5	24	65	96	-
Male.....	69	-	-	-	-	-	-	-	5	5	25	34	-
Female.....	122	-	-	-	-	-	-	1	-	19	40	62	-
Asian or Pacific Islander 2/, both sexes	748	-	-	-	-	-	-	-	9	37	202	500	-
Male.....	245	-	-	-	-	-	-	-	6	15	78	146	-
Female.....	503	-	-	-	-	-	-	-	3	22	124	354	-
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	806,156	571	230	338	1,369	3,950	14,867	46,280	80,797	115,623	229,050	313,044	37
Male.....	388,049	323	104	181	874	2,567	10,107	32,038	54,646	69,432	113,012	104,737	28
Female.....	418,107	248	126	157	495	1,383	4,760	14,242	26,151	46,191	116,038	208,307	9
White, both sexes.....	691,283	359	151	240	905	2,541	10,311	33,801	62,439	93,995	200,863	285,653	25
Male.....	331,560	201	65	131	561	1,691	7,203	24,251	43,196	57,458	100,338	96,445	20
Female.....	359,723	158	86	109	344	850	3,108	9,550	19,243	36,537	100,525	189,208	5
Black, both sexes.....	96,051	175	59	78	418	1,220	3,970	11,163	16,086	18,303	22,826	21,742	11
Male.....	46,698	106	32	40	282	743	2,489	6,838	9,955	10,027	10,082	6,097	7
Female.....	49,353	69	27	38	136	477	1,481	4,325	6,131	8,276	12,744	15,645	4
American Indian 1/, both sexes.....	3,482	13	8	1	16	65	171	384	590	716	851	667	-
Male.....	1,913	5	5	1	8	47	109	275	385	420	432	226	-
Female.....	1,569	8	3	-	8	18	62	109	205	296	419	441	-
Asian or Pacific Islander 2/, both sexes	15,340	24	12	19	30	124	415	932	1,682	2,609	4,510	4,982	1
Male.....	7,878	11	2	9	23	86	306	674	1,110	1,527	2,160	1,969	1
Female.....	7,462	13	10	10	7	38	109	258	572	1,082	2,350	3,013	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	616,067	424	173	241	1,084	3,223	11,839	37,434	65,527	89,589	171,257	235,249	27
Male.....	309,821	237	82	133	700	2,177	8,345	26,911	45,558	55,532	88,005	82,120	21
Female.....	306,246	187	91	108	384	1,046	3,494	10,523	19,969	34,057	83,252	153,129	6
White, both sexes.....	531,636	254	112	166	706	2,073	8,406	28,135	51,585	73,600	151,041	215,539	19
Male.....	266,908	143	47	90	445	1,433	6,058	20,876	36,646	46,500	78,676	75,979	15
Female.....	264,728	111	65	76	261	640	2,348	7,259	14,939	27,100	72,365	139,560	4
Black, both sexes.....	71,209	139	43	63	348	997	2,992	8,357	12,289	13,642	16,559	15,773	7
Male.....	35,669	79	28	35	235	632	1,951	5,304	7,762	7,595	7,478	4,565	5
Female.....	35,540	60	15	28	113	365	1,041	3,053	4,527	6,047	9,081	11,208	2
American Indian 1/, both sexes.....	2,648	10	7	1	12	60	137	315	468	543	629	466	-
Male.....	1,520	5	5	1	5	43	90	234	312	332	327	166	-
Female.....	1,128	5	2	-	7	17	47	81	156	211	302	300	-
Asian or Pacific Islander 2/, both sexes	10,574	21	11	11	18	93	304	627	1,185	1,804	3,028	3,471	1
Male.....	5,724	10	2	7	15	69	246	497	838	1,105	1,524	1,410	1
Female.....	4,850	11	9	4	3	24	58	130	347	699	1,504	2,061	-
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,201	2	1	1	12	28	70	177	337	529	1,055	989	-
Male.....	1,026	-	1	-	6	14	27	78	133	178	334	255	-
Female.....	2,175	2	-	1	6	14	43	99	204	351	721	734	-
White, both sexes.....	2,853	1	1	-	9	18	51	125	258	458	990	942	-
Male.....	907	-	1	-	5	9	20	58	103	158	307	246	-
Female.....	1,946	1	-	-	4	9	31	67	155	300	683	696	-
Black, both sexes.....	245	-	-	1	3	4	14	43	57	43	46	34	-
Male.....	84	-	-	-	1	2	4	16	24	11	19	7	-
Female.....	161	-	-	1	2	2	10	27	33	32	27	27	-
American Indian 1/, both sexes.....	17	1	-	-	-	1	2	2	3	7	1	-	-
Male.....	7	-	-	-	-	-	2	2	1	2	-	-	-
Female.....	10	1	-	-	-	1	-	-	2	5	1	-	-
Asian or Pacific Islander 2/, both sexes	86	-	-	-	-	5	3	7	19	21	18	13	-
Male.....	28	-	-	-	-	3	1	2	5	7	8	2	-
Female.....	58	-	-	-	-	2	2	5	14	14	10	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hypertensive heart disease (I11)													
All races, both sexes.....	30,780	1	1	-	44	338	1,372	3,604	4,487	4,009	6,324	10,598	2
Male.....	14,249	1	1	-	34	237	953	2,473	3,009	2,266	2,673	2,600	2
Female.....	16,531	-	-	-	10	101	419	1,131	1,478	1,743	3,651	7,998	-
White, both sexes.....	22,938	1	1	-	16	164	771	2,256	2,908	2,773	4,921	9,126	1
Male.....	10,209	1	1	-	15	118	567	1,626	2,013	1,586	2,068	2,213	1
Female.....	12,729	-	-	-	1	46	204	630	895	1,187	2,853	6,913	-
Black, both sexes.....	7,108	-	-	-	28	162	564	1,270	1,467	1,132	1,235	1,249	1
Male.....	3,669	-	-	-	19	109	363	790	921	622	530	314	1
Female.....	3,439	-	-	-	9	53	201	480	546	510	705	935	-
American Indian 1/, both sexes.....	135	-	-	-	-	5	17	30	26	20	20	17	-
Male.....	79	-	-	-	-	5	10	21	16	14	8	5	-
Female.....	56	-	-	-	-	-	7	9	10	6	12	12	-
Asian or Pacific Islander 2/, both sexes	599	-	-	-	-	7	20	48	86	84	148	206	-
Male.....	292	-	-	-	-	5	13	36	59	44	67	68	-
Female.....	307	-	-	-	-	2	7	12	27	40	81	138	-
Hypertensive heart and renal disease (I13)													
All races, both sexes.....	2,987	-	-	-	5	32	77	178	293	379	792	1,231	-
Male.....	1,318	-	-	-	4	17	56	120	178	191	344	408	-
Female.....	1,669	-	-	-	1	15	21	58	115	188	448	823	-
White, both sexes.....	2,064	-	-	-	1	12	20	68	132	213	582	1,036	-
Male.....	864	-	-	-	1	6	14	52	75	111	261	344	-
Female.....	1,200	-	-	-	-	6	6	16	57	102	321	692	-
Black, both sexes.....	825	-	-	-	4	18	56	105	153	152	179	158	-
Male.....	412	-	-	-	3	10	42	63	99	73	72	50	-
Female.....	413	-	-	-	1	8	14	42	54	79	107	108	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	1	1	-	3	3	-
Male.....	4	-	-	-	-	-	-	1	1	-	1	1	-
Female.....	4	-	-	-	-	-	-	-	-	-	2	2	-
Asian or Pacific Islander 2/, both sexes	90	-	-	-	-	2	1	4	7	14	28	34	-
Male.....	38	-	-	-	-	1	-	4	3	7	10	13	-
Female.....	52	-	-	-	-	1	1	-	4	7	18	21	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	406,351	24	8	21	151	1,048	6,219	24,390	46,164	63,027	116,152	149,126	21
Male.....	216,050	11	3	12	107	809	4,732	18,526	33,476	40,777	62,693	54,889	15
Female.....	190,301	13	5	9	44	239	1,487	5,864	12,688	22,250	53,459	94,237	6
White, both sexes.....	354,481	19	4	18	98	743	4,807	19,266	37,468	52,574	102,896	136,574	14
Male.....	189,056	10	1	9	70	575	3,723	15,001	27,723	34,689	56,396	50,849	10
Female.....	165,425	9	3	9	28	168	1,084	4,265	9,745	17,885	46,500	85,725	4
Black, both sexes.....	42,679	3	2	2	50	254	1,149	4,469	7,504	8,711	10,651	9,878	6
Male.....	21,768	1	1	2	35	191	794	2,994	4,884	4,981	4,942	2,939	4
Female.....	20,911	2	1	-	15	63	355	1,475	2,620	3,730	5,709	6,939	2
American Indian 1/, both sexes.....	1,777	1	2	-	1	19	74	201	330	394	445	310	-
Male.....	1,048	-	1	-	1	13	49	153	232	247	238	114	-
Female.....	729	1	1	-	-	6	25	48	98	147	207	196	-
Asian or Pacific Islander 2/, both sexes	7,414	1	-	1	2	32	189	454	862	1,348	2,160	2,364	1
Male.....	4,178	-	-	1	1	30	166	378	637	860	1,117	987	1
Female.....	3,236	1	-	-	1	2	23	76	225	488	1,043	1,377	-
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	132,968	10	4	11	54	400	2,402	9,467	17,835	23,441	37,629	41,711	4
Male.....	71,712	5	-	5	33	297	1,768	7,129	12,744	14,824	19,698	15,206	3
Female.....	61,256	5	4	6	21	103	634	2,338	5,091	8,617	17,931	26,505	1
White, both sexes.....	115,900	9	2	10	36	284	1,906	7,694	14,880	19,845	33,310	37,922	2
Male.....	63,011	5	-	4	22	213	1,430	5,952	10,875	12,793	17,717	13,998	2
Female.....	52,889	4	2	6	14	71	476	1,742	4,005	7,052	15,593	23,924	-
Black, both sexes.....	14,097	1	1	1	18	96	415	1,526	2,554	3,000	3,477	3,006	2
Male.....	6,997	-	-	1	11	69	276	985	1,581	1,653	1,533	887	1
Female.....	7,100	1	1	-	7	27	139	541	973	1,347	1,944	2,119	1
American Indian 1/, both sexes.....	591	-	1	-	-	8	24	77	128	131	133	89	-
Male.....	359	-	-	-	-	5	14	55	92	79	75	39	-
Female.....	232	-	1	-	-	3	10	22	36	52	58	50	-
Asian or Pacific Islander 2/, both sexes	2,380	-	-	-	-	12	57	170	273	465	709	694	-
Male.....	1,345	-	-	-	-	10	48	137	196	299	373	282	-
Female.....	1,035	-	-	-	-	2	9	33	77	166	336	412	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	4,092	2	-	-	3	17	109	376	679	740	1,021	1,145	-
Male.....	2,159	1	-	-	2	14	76	268	487	479	500	332	-
Female.....	1,933	1	-	-	1	3	33	108	192	261	521	813	-
White, both sexes.....	3,441	2	-	-	1	8	78	286	537	604	891	1,034	-
Male.....	1,792	1	-	-	1	7	59	206	384	396	437	301	-
Female.....	1,649	1	-	-	-	1	19	80	153	208	454	733	-
Black, both sexes.....	539	-	-	-	2	7	24	75	117	113	114	87	-
Male.....	303	-	-	-	1	5	15	52	84	69	53	24	-
Female.....	236	-	-	-	1	2	9	23	33	44	61	63	-
American Indian 1/, both sexes.....	61	-	-	-	-	1	6	9	14	12	7	12	-
Male.....	34	-	-	-	-	1	1	6	11	6	6	3	-
Female.....	27	-	-	-	-	-	5	3	3	6	1	9	-
Asian or Pacific Islander 2/, both sexes	51	-	-	-	-	1	1	6	11	11	9	12	-
Male.....	30	-	-	-	-	1	1	4	8	8	4	4	-
Female.....	21	-	-	-	-	-	-	2	3	3	5	8	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	269,291	12	4	10	94	631	3,708	14,547	27,650	38,846	77,502	106,270	17
Male.....	142,179	5	3	7	72	498	2,888	11,129	20,245	25,474	42,495	39,351	12
Female.....	127,112	7	1	3	22	133	820	3,418	7,405	13,372	35,007	66,919	5
White, both sexes.....	235,140	8	2	8	61	451	2,823	11,286	22,051	32,125	68,695	97,618	12
Male.....	124,253	4	1	5	47	355	2,234	8,843	16,464	21,500	38,242	36,550	8
Female.....	110,887	4	1	3	14	96	589	2,443	5,587	10,625	30,453	61,068	4
Black, both sexes.....	28,043	2	1	1	30	151	710	2,868	4,833	5,598	7,060	6,785	4
Male.....	14,468	1	1	1	23	117	503	1,957	3,219	3,259	3,356	2,028	3
Female.....	13,575	1	-	-	7	34	207	911	1,614	2,339	3,704	4,757	1
American Indian 1/, both sexes.....	1,125	1	1	-	1	10	44	115	188	251	305	209	-
Male.....	655	-	1	-	1	7	34	92	129	162	157	72	-
Female.....	470	1	-	-	-	3	10	23	59	89	148	137	-
Asian or Pacific Islander 2/, both sexes	4,983	1	-	1	2	19	131	278	578	872	1,442	1,658	1
Male.....	2,803	-	-	1	1	19	117	237	433	553	740	701	1
Female.....	2,180	1	-	-	1	-	14	41	145	319	702	957	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	59,051	1	-	-	17	211	1,395	5,910	10,055	9,884	14,221	17,347	10
Male.....	33,401	1	-	-	12	176	1,109	4,618	7,583	6,549	7,552	5,794	7
Female.....	25,650	-	-	-	5	35	286	1,292	2,472	3,335	6,669	11,553	3
White, both sexes.....	48,660	1	-	-	10	144	1,049	4,492	7,770	7,737	11,997	15,451	9
Male.....	27,365	1	-	-	7	117	851	3,590	5,957	5,220	6,418	5,198	6
Female.....	21,295	-	-	-	3	27	198	902	1,813	2,517	5,579	10,253	3
Black, both sexes.....	8,921	-	-	-	6	54	279	1,254	2,012	1,877	1,853	1,585	1
Male.....	5,155	-	-	-	5	47	203	887	1,413	1,166	952	481	1
Female.....	3,766	-	-	-	1	7	76	367	599	711	901	1,104	-
American Indian 1/, both sexes.....	325	-	-	-	-	4	13	51	61	76	81	39	-
Male.....	200	-	-	-	-	3	10	40	44	51	41	11	-
Female.....	125	-	-	-	-	1	3	11	17	25	40	28	-
Asian or Pacific Islander 2/, both sexes	1,145	-	-	-	1	9	54	113	212	194	290	272	-
Male.....	681	-	-	-	-	9	45	101	169	112	141	104	-
Female.....	464	-	-	-	1	-	9	12	43	82	149	168	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	210,240	11	4	10	77	420	2,313	8,637	17,595	28,962	63,281	88,923	7
Male.....	108,778	4	3	7	60	322	1,779	6,511	12,662	18,925	34,9	16375	5

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other heart diseases (I26-I51)													
All races, both sexes.....	172,748	397	163	219	872	1,777	4,101	9,085	14,246	21,645	46,934	73,305	4
Male.....	77,178	225	77	121	549	1,100	2,577	5,714	8,762	12,120	21,961	23,968	4
Female.....	95,570	172	86	98	323	677	1,524	3,371	5,484	9,525	24,973	49,337	-
White, both sexes.....	149,300	233	106	148	582	1,136	2,757	6,420	10,819	17,582	41,652	67,861	4
Male.....	65,872	132	44	81	354	725	1,734	4,139	6,732	9,956	19,644	22,327	4
Female.....	83,428	101	62	67	228	411	1,023	2,281	4,087	7,626	22,008	45,534	-
Black, both sexes.....	20,352	136	41	60	263	559	1,209	2,470	3,108	3,604	4,448	4,454	-
Male.....	9,736	78	27	33	177	320	748	1,441	1,834	1,908	1,915	1,255	-
Female.....	10,616	58	14	27	86	239	461	1,029	1,274	1,696	2,533	3,199	-
American Indian 1/, both sexes.....	711	8	5	1	11	35	44	81	108	122	160	136	-
Male.....	382	5	4	1	4	25	29	57	62	69	80	46	-
Female.....	329	3	1	-	7	10	15	24	46	53	80	90	-
Asian or Pacific Islander 2/, both sexes	2,385	20	11	10	16	47	91	114	211	337	674	854	-
Male.....	1,188	10	2	6	14	30	66	77	134	187	322	340	-
Female.....	1,197	10	9	4	2	17	25	37	77	150	352	514	-
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,225	3	1	1	9	32	95	198	207	236	308	134	1
Male.....	718	2	1	1	4	28	65	124	132	127	172	61	1
Female.....	507	1	-	-	5	4	30	74	75	109	136	73	-
White, both sexes.....	967	2	-	1	9	23	70	132	151	181	277	120	1
Male.....	554	1	-	1	4	20	50	78	94	96	154	55	1
Female.....	413	1	-	-	5	3	20	54	57	85	123	65	-
Black, both sexes.....	223	1	1	-	-	5	23	58	50	50	24	11	-
Male.....	144	1	1	-	-	5	14	41	35	29	13	5	-
Female.....	79	-	-	-	-	-	9	17	15	21	11	6	-
American Indian 1/, both sexes.....	14	-	-	-	-	3	-	5	3	1	2	-	-
Male.....	9	-	-	-	-	3	-	3	2	-	1	-	-
Female.....	5	-	-	-	-	-	-	2	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes	21	-	-	-	-	1	2	3	3	4	5	3	-
Male.....	11	-	-	-	-	-	1	2	1	2	4	1	-
Female.....	10	-	-	-	-	1	1	1	2	2	1	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	867	25	19	24	48	53	87	116	123	119	137	116	-
Male.....	454	16	13	17	26	32	57	57	71	66	59	40	-
Female.....	413	9	6	7	22	21	30	59	52	53	78	76	-
White, both sexes.....	698	13	14	18	37	41	64	88	95	99	127	102	-
Male.....	366	8	10	12	19	28	43	43	57	56	54	36	-
Female.....	332	5	4	6	18	13	21	45	38	43	73	66	-
Black, both sexes.....	145	11	3	4	10	11	19	26	26	17	8	10	-
Male.....	74	7	2	4	7	3	12	12	13	8	4	2	-
Female.....	71	4	1	-	3	8	7	14	13	9	4	8	-
American Indian 1/, both sexes.....	4	-	1	-	1	-	1	1	-	-	-	-	-
Male.....	3	-	1	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	20	1	1	2	-	1	3	1	2	3	2	4	-
Male.....	11	1	-	1	-	1	1	1	1	2	1	2	-
Female.....	9	-	1	1	-	-	2	-	1	1	1	2	-
Heart failure (I50)													
All races, both sexes.....	56,565	21	11	12	43	87	317	1,073	2,758	5,749	15,935	30,558	1
Male.....	22,914	11	3	6	25	54	207	655	1,643	3,201	7,286	9,822	1
Female.....	33,651	10	8	6	18	33	110	418	1,115	2,548	8,649	20,736	-
White, both sexes.....	50,367	10	8	9	24	47	176	680	2,030	4,732	14,245	28,405	1
Male.....	20,262	6	1	4	11	29	113	427	1,215	2,682	6,574	9,199	1
Female.....	30,105	4	7	5	13	18	63	253	815	2,050	7,671	19,206	-
Black, both sexes.....	5,497	8	3	2	18	38	134	378	679	920	1,473	1,844	-
Male.....	2,341	4	2	1	14	23	87	220	402	467	611	510	-
Female.....	3,156	4	1	1	4	15	47	158	277	453	862	1,334	-
American Indian 1/, both sexes.....	188	1	-	-	1	1	2	7	27	37	50	62	-
Male.....	85	-	-	-	-	1	2	3	13	17	27	22	-
Female.....	103	1	-	-	1	-	-	4	14	20	23	40	-
Asian or Pacific Islander 2/, both sexes	513	2	-	1	-	1	5	8	22	60	167	247	-
Male.....	226	1	-	1	-	1	5	5	13	35	74	91	-
Female.....	287	1	-	-	-	-	-	3	9	25	93	156	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	114,091	348	132	182	772	1,605	3,602	7,698	11,158	15,541	30,554	42,497	2
Male.....	53,092	196	60	97	494	986	2,248	4,878	6,916	8,726	14,444	14,045	2
Female.....	60,999	152	72	85	278	619	1,354	2,820	4,242	6,815	16,110	28,452	-
White, both sexes.....	97,268	208	84	120	512	1,025	2,447	5,520	8,543	12,570	27,003	39,234	2
Male.....	44,690	117	33	64	320	648	1,528	3,591	5,366	7,122	12,862	13,037	2
Female.....	52,578	91	51	56	192	377	919	1,929	3,177	5,448	14,141	26,197	-
Black, both sexes.....	14,487	116	34	54	235	505	1,033	2,008	2,353	2,617	2,943	2,589	-
Male.....	7,177	66	22	28	156	289	635	1,168	1,384	1,404	1,287	738	-
Female.....	7,310	50	12	26	79	216	398	840	969	1,213	1,656	1,851	-
American Indian 1/, both sexes.....	505	7	4	1	9	31	41	68	78	84	108	74	-
Male.....	285	5	3	1	4	21	26	50	47	52	52	24	-
Female.....	220	2	1	-	5	10	15	18	31	32	56	50	-
Asian or Pacific Islander 2/, both sexes	1,831	17	10	7	16	44	81	102	184	270	500	600	-
Male.....	940	8	2	4	14	28	59	69	119	148	243	246	-
Female.....	891	9	8	3	2	16	22	33	65	122	257	354	-
Essential hypertension and hypertensive renal disease (I10,I12,I15)													
All races, both sexes.....	23,965	1	1	-	23	85	384	1,235	2,124	3,133	6,442	10,536	1
Male.....	9,417	1	1	-	13	46	250	760	1,273	1,601	2,667	2,805	-
Female.....	14,548	-	-	-	10	39	134	475	851	1,532	3,775	7,731	1
White, both sexes.....	18,583	1	1	-	13	34	201	669	1,313	2,190	5,113	9,048	-
Male.....	7,106	1	1	-	7	22	145	432	828	1,131	2,137	2,402	-
Female.....	11,477	-	-	-	6	12	56	237	485	1,059	2,976	6,646	-
Black, both sexes.....	4,640	-	-	-	10	49	176	535	752	830	1,095	1,192	1
Male.....	1,979	-	-	-	6	23	101	307	406	411	436	289	-
Female.....	2,661	-	-	-	4	26	75	228	346	419	659	903	1
American Indian 1/, both sexes.....	108	-	-	-	-	-	1	8	16	20	37	26	-
Male.....	46	-	-	-	-	-	1	5	10	9	13	8	-
Female.....	62	-	-	-	-	-	-	3	6	11	24	18	-
Asian or Pacific Islander 2/, both sexes	634	-	-	-	-	2	6	23	43	93	197	270	-
Male.....	286	-	-	-	-	1	3	16	29	50	81	106	-
Female.....	348	-	-	-	-	1	3	7	14	43	116	164	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cerebrovascular diseases (I60-I69)													
All races, both sexes.....	135,952	132	52	83	195	505	2,133	6,385	10,500	18,007	41,979	55,975	6
Male.....	54,111	77	20	37	113	252	1,143	3,507	5,992	9,351	17,700	15,915	4
Female.....	81,841	55	32	46	82	253	990	2,878	4,508	8,656	24,279	40,060	2
White, both sexes.....	114,695	94	34	63	138	332	1,356	4,139	7,438	14,023	36,340	50,734	4
Male.....	44,714	51	16	32	76	167	746	2,330	4,242	7,272	15,322	14,457	3
Female.....	69,981	43	18	31	62	165	610	1,809	3,196	6,751	21,018	36,277	1
Black, both sexes.....	17,085	34	16	13	46	148	655	1,946	2,591	3,257	4,385	3,992	2
Male.....	7,549	25	4	3	30	71	335	1,006	1,500	1,714	1,840	1,020	1
Female.....	9,536	9	12	10	16	77	320	940	1,091	1,543	2,545	2,972	1
American Indian 1/, both sexes.....	586	2	1	-	2	3	28	51	83	114	154	148	-
Male.....	267	-	-	-	1	2	14	29	49	53	77	42	-
Female.....	319	2	1	-	1	1	14	22	34	61	77	106	-
Asian or Pacific Islander 2/, both sexes	3,586	2	1	7	9	22	94	249	388	613	1,100	1,101	-
Male.....	1,581	1	-	2	6	12	48	142	201	312	461	396	-
Female.....	2,005	1	1	5	3	10	46	107	187	301	639	705	-
Atherosclerosis (I70)													
All races, both sexes.....	8,232	1	-	-	2	1	27	134	350	829	2,298	4,590	-
Male.....	3,220	1	-	-	-	1	19	95	243	474	1,027	1,360	-
Female.....	5,012	-	-	-	2	-	8	39	107	355	1,271	3,230	-
White, both sexes.....	7,444	1	-	-	1	1	20	102	285	706	2,075	4,253	-
Male.....	2,898	1	-	-	-	1	14	72	192	406	946	1,266	-
Female.....	4,546	-	-	-	1	-	6	30	93	300	1,129	2,987	-
Black, both sexes.....	647	-	-	-	1	-	5	30	54	100	177	280	-
Male.....	259	-	-	-	-	-	4	22	42	54	63	74	-
Female.....	388	-	-	-	1	-	1	8	12	46	114	206	-
American Indian 1/, both sexes.....	30	-	-	-	-	-	-	1	4	9	7	9	-
Male.....	15	-	-	-	-	-	-	1	3	7	1	3	-
Female.....	15	-	-	-	-	-	-	-	1	2	6	6	-
Asian or Pacific Islander 2/, both sexes	111	-	-	-	-	-	2	1	7	14	39	48	-
Male.....	48	-	-	-	-	-	1	-	6	7	17	17	-
Female.....	63	-	-	-	-	-	1	1	1	7	22	31	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	21,940	13	4	14	65	136	484	1,092	2,296	4,065	7,074	6,694	3
Male.....	11,480	7	1	11	48	91	350	765	1,580	2,474	3,613	2,537	3
Female.....	10,460	6	3	3	17	45	134	327	716	1,591	3,461	4,157	-
White, both sexes.....	18,925	9	4	11	47	101	328	756	1,818	3,476	6,294	6,079	2
Male.....	9,934	5	1	9	33	68	240	541	1,288	2,149	3,257	2,341	2
Female.....	8,991	4	3	2	14	33	88	215	530	1,327	3,037	3,738	-
Black, both sexes.....	2,470	2	-	2	13	26	142	295	400	474	610	505	1
Male.....	1,242	2	-	2	11	17	98	199	245	253	265	149	1
Female.....	1,228	-	-	-	2	9	44	96	155	221	345	356	-
American Indian 1/, both sexes.....	110	1	-	-	2	2	5	9	19	30	24	18	-
Male.....	65	-	-	-	2	2	4	6	11	19	14	7	-
Female.....	45	1	-	-	-	-	1	3	8	11	10	11	-
Asian or Pacific Islander 2/, both sexes	435	1	-	1	3	7	9	32	59	85	146	92	-
Male.....	239	-	-	-	2	4	8	19	36	53	77	40	-
Female.....	196	1	-	1	1	3	1	13	23	32	69	52	-
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	12,986	1	-	7	38	99	364	752	1,483	2,616	4,346	3,279	1
Male.....	7,543	-	-	6	32	74	278	567	1,093	1,698	2,341	1,453	1
Female.....	5,443	1	-	1	6	25	86	185	390	918	2,005	1,826	-
White, both sexes.....	11,348	1	-	6	26	73	233	515	1,192	2,295	3,959	3,047	1
Male.....	6,610	-	-	5	21	54	179	398	909	1,514	2,158	1,371	1
Female.....	4,738	1	-	1	5	19	54	117	283	781	1,801	1,676	-
Black, both sexes.....	1,257	-	-	1	8	18	118	209	232	238	271	162	-
Male.....	705	-	-	1	8	14	87	150	149	129	118	49	-
Female.....	552	-	-	-	-	4	31	59	83	109	153	113	-
American Indian 1/, both sexes.....	60	-	-	-	2	2	5	5	7	15	12	12	-
Male.....	41	-	-	-	2	2	4	4	4	12	8	5	-
Female.....	19	-	-	-	-	-	1	1	3	3	4	7	-
Asian or Pacific Islander 2/, both sexes	321	-	-	-	2	6	8	23	52	68	104	58	-
Male.....	187	-	-	-	1	4	8	15	31	43	57	28	-
Female.....	134	-	-	-	1	2	-	8	21	25	47	30	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	8,954	12	4	7	27	37	120	340	813	1,449	2,728	3,415	2
Male.....	3,937	7	1	5	16	17	72	198	487	776	1,272	1,084	2
Female.....	5,017	5	3	2	11	20	48	142	326	673	1,456	2,331	-
White, both sexes.....	7,577	8	4	5	21	28	95	241	626	1,181	2,335	3,032	1
Male.....	3,324	5	1	4	12	14	61	143	379	635	1,099	970	1
Female.....	4,253	3	3	1	9	14	34	98	247	546	1,236	2,062	-
Black, both sexes.....	1,213	2	-	1	5	8	24	86	168	236	339	343	1
Male.....	537	2	-	1	3	3	11	49	96	124	147	100	1
Female.....	676	-	-	-	2	5	13	37	72	112	192	243	-
American Indian 1/, both sexes.....	50	1	-	-	-	-	-	4	12	15	12	6	-
Male.....	24	-	-	-	-	-	-	2	7	7	6	2	-
Female.....	26	1	-	-	-	-	-	2	5	8	6	4	-
Asian or Pacific Islander 2/, both sexes	114	1	-	1	1	1	1	9	7	17	42	34	-
Male.....	52	-	-	-	1	-	-	4	5	10	20	12	-
Female.....	62	1	-	1	-	1	1	5	2	7	22	22	-
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,101	53	3	6	40	120	322	570	586	552	888	960	1
Male.....	1,902	31	1	4	22	67	188	335	330	279	364	281	-
Female.....	2,199	22	2	2	18	53	134	235	256	273	524	679	1
White, both sexes.....	3,336	40	3	5	27	79	217	412	449	460	785	858	1
Male.....	1,523	22	1	4	10	47	131	244	246	240	323	255	-
Female.....	1,813	18	2	1	17	32	86	168	203	220	462	603	1
Black, both sexes.....	701	12	-	-	11	40	101	145	125	83	92	92	-
Male.....	348	9	-	-	10	20	54	82	77	37	36	23	-
Female.....	353	3	-	-	1	20	47	63	48	46	56	69	-
American Indian 1/, both sexes.....	17	-	-	-	1	-	2	6	2	2	3	1	-
Male.....	6	-	-	-	1	-	2	3	-	-	-	-	-
Female.....	11	-	-	-	-	-	-	3	2	2	3	1	-
Asian or Pacific Islander 2/, both sexes	47	1	-	1	1	1	2	7	10	7	8	9	-
Male.....	25	-	-	-	1	-	1	6	7	2	5	3	-
Female.....	22	1	-	1	-	1	1	1	3	5	3	6	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Influenza and pneumonia (J09-J18)													
All races, both sexes.....	52,717	222	109	103	163	331	784	1,909	3,152	5,547	14,859	25,535	3
Male.....	24,071	135	55	52	91	187	443	1,126	1,881	3,044	7,412	9,642	3
Female.....	28,646	87	54	51	72	144	341	783	1,271	2,503	7,447	15,893	-
White, both sexes.....	45,947	132	73	77	129	225	580	1,403	2,483	4,551	13,074	23,217	3
Male.....	20,720	85	32	36	74	127	323	810	1,486	2,475	6,517	8,752	3
Female.....	25,227	47	41	41	55	98	257	593	997	2,076	6,557	14,465	-
Black, both sexes.....	5,155	75	29	21	23	94	178	439	573	800	1,312	1,611	-
Male.....	2,498	42	16	13	12	51	103	271	332	456	642	560	-
Female.....	2,657	33	13	8	11	43	75	168	241	344	670	1,051	-
American Indian 1/, both sexes.....	280	8	2	-	4	4	18	28	35	39	67	75	-
Male.....	150	5	2	-	1	3	12	23	27	22	32	23	-
Female.....	130	3	-	-	3	1	6	5	8	17	35	52	-
Asian or Pacific Islander 2/, both sexes	1,335	7	5	5	7	8	8	39	61	157	406	632	-
Male.....	703	3	5	3	4	6	5	22	36	91	221	307	-
Female.....	632	4	-	2	3	2	3	17	25	66	185	325	-
Influenza (J09-J11)													
All races, both sexes.....	411	13	19	35	10	9	13	19	37	38	79	139	-
Male.....	187	9	13	17	1	1	6	11	20	19	37	53	-
Female.....	224	4	6	18	9	8	7	8	17	19	42	86	-
White, both sexes.....	374	9	13	32	10	7	11	16	32	34	74	136	-
Male.....	169	6	8	15	1	1	5	11	18	18	34	52	-
Female.....	205	3	5	17	9	6	6	5	14	16	40	84	-
Black, both sexes.....	26	4	5	2	-	2	2	2	4	2	2	1	-
Male.....	13	3	4	1	-	-	1	-	2	1	1	-	-
Female.....	13	1	1	1	-	2	1	2	2	1	1	1	-
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	-	1	1	1	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	1	-	-	-	1	-	1	2	1	-
Male.....	3	-	-	1	-	-	-	-	-	-	2	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Chronic lower respiratory diseases (J40-J47)													
All races, both sexes.....	127,924	43	57	118	149	263	796	4,153	12,777	28,664	48,041	32,857	6
Male.....	61,235	27	30	78	96	150	392	2,125	6,733	14,679	23,439	13,480	6
Female.....	66,689	16	27	40	53	113	404	2,028	6,044	13,985	24,602	19,377	-
White, both sexes.....	118,081	26	22	54	79	159	578	3,395	11,412	26,389	44,986	30,976	5
Male.....	55,934	13	13	34	49	86	278	1,777	5,956	13,399	21,735	12,589	5
Female.....	62,147	13	9	20	30	73	300	1,618	5,456	12,990	23,251	18,387	-
Black, both sexes.....	7,901	15	30	60	65	96	193	672	1,178	1,897	2,340	1,355	-
Male.....	4,207	13	13	41	44	58	99	304	672	1,061	1,296	606	-
Female.....	3,694	2	17	19	21	38	94	368	506	836	1,044	749	-
American Indian 1/, both sexes.....	611	1	2	2	2	2	10	48	100	173	185	86	-
Male.....	299	-	1	1	1	1	7	24	49	92	86	37	-
Female.....	312	1	1	1	1	1	3	24	51	81	99	49	-
Asian or Pacific Islander 2/, both sexes	1,331	1	3	2	3	6	15	38	87	205	530	440	1
Male.....	795	1	3	2	2	5	8	20	56	127	322	248	1
Female.....	536	-	-	-	1	1	7	18	31	78	208	192	-
Bronchitis, chronic and unspecified (J40-J42)													
All races, both sexes.....	667	24	10	2	1	5	14	24	52	88	181	266	-
Male.....	273	13	6	1	1	4	5	13	22	34	86	88	-
Female.....	394	11	4	1	-	1	9	11	30	54	95	178	-
White, both sexes.....	592	13	6	1	-	3	11	22	44	76	171	245	-
Male.....	238	5	4	1	-	3	4	12	19	28	81	81	-
Female.....	354	8	2	-	-	-	7	10	25	48	90	164	-
Black, both sexes.....	56	9	3	1	1	2	1	2	4	10	9	14	-
Male.....	24	7	1	-	1	1	-	1	-	5	4	4	-
Female.....	32	2	2	1	-	1	1	1	4	5	5	10	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	17	1	1	-	-	-	2	-	4	1	1	7	-
Male.....	10	1	1	-	-	-	1	-	3	-	1	3	-
Female.....	7	-	-	-	-	-	1	-	1	1	-	4	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Emphysema (J43)													
All races, both sexes.....	12,790	3	-	1	1	10	60	486	1,590	3,294	4,835	2,509	1
Male.....	6,598	2	-	-	-	5	41	305	903	1,789	2,457	1,095	1
Female.....	6,192	1	-	1	1	5	19	181	687	1,505	2,378	1,414	-
White, both sexes.....	11,886	2	-	1	1	5	50	410	1,442	3,063	4,530	2,381	1
Male.....	6,032	1	-	-	-	2	32	256	802	1,647	2,269	1,022	1
Female.....	5,854	1	-	1	1	3	18	154	640	1,416	2,261	1,359	-
Black, both sexes.....	733	1	-	-	-	5	8	69	129	192	233	96	-
Male.....	457	1	-	-	-	3	7	42	88	123	139	54	-
Female.....	276	-	-	-	-	2	1	27	41	69	94	42	-
American Indian 1/, both sexes.....	49	-	-	-	-	-	2	4	9	11	12	11	-
Male.....	25	-	-	-	-	-	2	4	5	5	4	5	-
Female.....	24	-	-	-	-	-	-	-	4	6	8	6	-
Asian or Pacific Islander 2/, both sexes	122	-	-	-	-	-	-	3	10	28	60	21	-
Male.....	84	-	-	-	-	-	-	3	8	14	45	14	-
Female.....	38	-	-	-	-	-	-	-	2	14	15	7	-
Asthma (J45-J46)													
All races, both sexes.....	3,447	4	41	107	133	201	320	538	461	412	569	659	2
Male.....	1,274	2	21	70	89	119	134	209	194	135	172	127	2
Female.....	2,173	2	20	37	44	82	186	329	267	277	397	532	-
White, both sexes.....	2,376	2	11	45	68	116	187	311	295	297	462	581	1
Male.....	789	-	7	27	45	64	73	127	117	91	130	107	1
Female.....	1,587	2	4	18	23	52	114	184	178	206	332	474	-
Black, both sexes.....	902	2	27	58	60	78	121	204	145	94	66	47	-
Male.....	406	2	12	40	41	50	55	71	66	37	25	7	-
Female.....	496	-	15	18	19	28	66	133	79	57	41	40	-
American Indian 1/, both sexes.....	34	-	1	2	2	2	3	7	8	5	2	2	-
Male.....	12	-	-	1	1	1	2	3	2	1	-	1	-
Female.....	22	-	1	1	1	1	1	4	6	4	2	1	-
Asian or Pacific Islander 2/, both sexes	135	-	2	2	3	5	9	16	13	16	39	29	1
Male.....	67	-	2	2	2	4	4	8	9	6	17	12	1
Female.....	68	-	-	-	1	1	5	8	4	10	22	17	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Other chronic lower respiratory diseases (J44,J47)													
All races, both sexes.....	111,020	12	6	8	14	47	402	3,105	10,674	24,870	42,456	29,423	3
Male.....	53,090	10	3	7	6	22	212	1,598	5,614	12,721	20,724	12,170	3
Female.....	57,930	2	3	1	8	25	190	1,507	5,060	12,149	21,732	17,253	-
White, both sexes.....	103,227	9	5	7	10	35	330	2,652	9,631	22,953	39,823	27,769	3
Male.....	48,875	7	2	6	4	17	169	1,382	5,018	11,633	19,255	11,379	3
Female.....	54,352	2	3	1	6	18	161	1,270	4,613	11,320	20,568	16,390	-
Black, both sexes.....	6,210	3	-	1	4	11	63	397	900	1,601	2,032	1,198	-
Male.....	3,320	3	-	1	2	4	37	190	518	896	1,128	541	-
Female.....	2,890	-	-	-	2	7	26	207	382	705	904	657	-
American Indian 1/, both sexes.....	526	-	1	-	-	-	5	37	83	156	171	73	-
Male.....	261	-	1	-	-	-	3	17	42	85	82	31	-
Female.....	265	-	-	-	-	-	2	20	41	71	89	42	-
Asian or Pacific Islander 2/, both sexes	1,057	-	-	-	-	1	4	19	60	160	430	383	-
Male.....	634	-	-	-	-	1	3	9	36	107	259	219	-
Female.....	423	-	-	-	-	-	1	10	24	53	171	164	-
Pneumoconioses and chemical effects (J60-J66,J68)													
All races, both sexes.....	915	-	-	-	-	3	2	20	59	175	384	272	-
Male.....	875	-	-	-	-	3	2	18	53	169	372	258	-
Female.....	40	-	-	-	-	-	-	2	6	6	12	14	-
White, both sexes.....	868	-	-	-	-	2	1	16	55	167	360	267	-
Male.....	832	-	-	-	-	2	1	14	50	161	351	253	-
Female.....	36	-	-	-	-	-	-	2	5	6	9	14	-
Black, both sexes.....	45	-	-	-	-	1	1	4	4	8	22	5	-
Male.....	42	-	-	-	-	1	1	4	3	8	20	5	-
Female.....	3	-	-	-	-	-	-	-	1	-	2	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	16,988	10	8	16	47	70	154	436	884	1,724	5,187	8,451	1
Male.....	8,934	5	5	12	31	43	98	278	549	1,042	2,926	3,944	1
Female.....	8,054	5	3	4	16	27	56	158	335	682	2,261	4,507	-
White, both sexes.....	15,229	7	7	12	35	52	125	355	713	1,483	4,647	7,792	1
Male.....	8,010	3	5	9	24	30	80	233	440	897	2,624	3,664	1
Female.....	7,219	4	2	3	11	22	45	122	273	586	2,023	4,128	-
Black, both sexes.....	1,429	3	1	3	7	16	25	71	158	205	438	502	-
Male.....	739	2	-	2	4	13	16	40	100	129	244	189	-
Female.....	690	1	1	1	3	3	9	31	58	76	194	313	-
American Indian 1/, both sexes.....	76	-	-	-	2	2	3	5	5	13	21	25	-
Male.....	35	-	-	-	1	-	2	2	2	3	10	15	-
Female.....	41	-	-	-	1	2	1	3	3	10	11	10	-
Asian or Pacific Islander 2/, both sexes	254	-	-	1	3	-	1	5	8	23	81	132	-
Male.....	150	-	-	1	2	-	-	3	7	13	48	76	-
Female.....	104	-	-	-	1	-	1	2	1	10	33	56	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	28,508	319	100	66	152	216	493	1,376	3,038	5,556	9,535	7,657	-
Male.....	14,291	190	66	31	90	116	252	789	1,703	3,122	4,925	3,007	-
Female.....	14,217	129	34	35	62	100	241	587	1,335	2,434	4,610	4,650	-
White, both sexes.....	25,155	189	65	46	109	151	354	1,027	2,499	4,846	8,760	7,109	-
Male.....	12,638	116	39	18	68	83	183	593	1,411	2,755	4,564	2,808	-
Female.....	12,517	73	26	28	41	68	171	434	1,088	2,091	4,196	4,301	-
Black, both sexes.....	2,591	112	30	18	38	58	117	308	450	535	544	381	-
Male.....	1,261	65	23	12	20	26	60	170	243	262	246	134	-
Female.....	1,330	47	7	6	18	32	57	138	207	273	298	247	-
American Indian 1/, both sexes.....	214	3	3	1	1	-	10	18	35	61	45	37	-
Male.....	114	2	2	-	1	-	6	12	22	37	18	14	-
Female.....	100	1	1	1	-	-	4	6	13	24	27	23	-
Asian or Pacific Islander 2/, both sexes	548	15	2	1	4	7	12	23	54	114	186	130	-
Male.....	278	7	2	1	1	7	3	14	27	68	97	51	-
Female.....	270	8	-	-	3	-	9	9	27	46	89	79	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Peptic ulcer (K25-K28)													
All races, both sexes.....	3,045	2	-	2	6	20	78	293	378	487	828	951	-
Male.....	1,469	2	-	1	5	13	49	200	231	268	381	319	-
Female.....	1,576	-	-	1	1	7	29	93	147	219	447	632	-
White, both sexes.....	2,628	2	-	2	6	19	63	216	296	417	732	875	-
Male.....	1,232	2	-	1	5	12	42	145	178	224	334	289	-
Female.....	1,396	-	-	1	1	7	21	71	118	193	398	586	-
Black, both sexes.....	305	-	-	-	-	1	13	67	69	52	57	46	-
Male.....	174	-	-	-	-	1	5	48	44	33	28	15	-
Female.....	131	-	-	-	-	-	8	19	25	19	29	31	-
American Indian 1/, both sexes.....	19	-	-	-	-	-	-	5	5	2	6	1	-
Male.....	14	-	-	-	-	-	-	4	5	1	3	1	-
Female.....	5	-	-	-	-	-	-	1	-	1	3	-	-
Asian or Pacific Islander 2/, both sexes	93	-	-	-	-	-	2	5	8	16	33	29	-
Male.....	49	-	-	-	-	-	2	3	4	10	16	14	-
Female.....	44	-	-	-	-	-	-	2	4	6	17	15	-
Diseases of appendix (K35-K38)													
All races, both sexes.....	426	1	2	10	16	9	19	40	56	82	110	81	-
Male.....	259	1	1	5	12	6	16	27	42	46	65	38	-
Female.....	167	-	1	5	4	3	3	13	14	36	45	43	-
White, both sexes.....	342	1	1	5	9	4	14	27	40	71	94	76	-
Male.....	210	1	1	2	7	4	13	17	31	42	57	35	-
Female.....	132	-	-	3	2	-	1	10	9	29	37	41	-
Black, both sexes.....	65	-	1	5	5	4	5	12	14	7	8	4	-
Male.....	39	-	-	3	5	1	3	10	9	3	2	3	-
Female.....	26	-	1	2	-	3	2	2	5	4	6	1	-
American Indian 1/, both sexes.....	3	-	-	-	1	-	-	-	-	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	16	-	-	-	1	1	-	1	2	3	7	1	-
Male.....	8	-	-	-	-	1	-	-	2	-	5	-	-
Female.....	8	-	-	-	1	-	-	1	-	3	2	1	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Hernia (K40-K46)													
All races, both sexes.....	1,698	35	5	2	2	8	35	98	170	244	474	625	-
Male.....	708	21	3	1	1	2	18	55	91	111	191	214	-
Female.....	990	14	2	1	1	6	17	43	79	133	283	411	-
White, both sexes.....	1,504	28	3	1	2	5	25	73	143	205	423	596	-
Male.....	608	18	2	1	1	-	14	41	72	95	163	201	-
Female.....	896	10	1	-	1	5	11	32	71	110	260	395	-
Black, both sexes.....	167	7	2	-	-	3	8	20	25	37	41	24	-
Male.....	86	3	1	-	-	2	3	11	18	14	22	12	-
Female.....	81	4	1	-	-	1	5	9	7	23	19	12	-
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	3	1	1	5	2	-
Male.....	7	-	-	-	-	-	-	3	-	1	2	1	-
Female.....	5	-	-	-	-	-	-	-	1	-	3	1	-
Asian or Pacific Islander 2/, both sexes	15	-	-	1	-	-	2	2	1	1	5	3	-
Male.....	7	-	-	-	-	-	1	-	1	1	4	-	-
Female.....	8	-	-	1	-	-	1	2	-	-	1	3	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races, both sexes.....	29,165	4	4	-	30	384	2,570	8,212	8,004	5,167	3,694	1,093	3
Male.....	19,151	3	2	-	14	261	1,722	5,788	5,732	3,219	1,949	458	3
Female.....	10,014	1	2	-	16	123	848	2,424	2,272	1,948	1,745	635	-
White, both sexes.....	25,490	3	4	-	20	310	2,184	7,007	6,879	4,624	3,435	1,021	3
Male.....	16,801	2	2	-	7	219	1,477	5,007	4,963	2,874	1,812	435	3
Female.....	8,689	1	2	-	13	91	707	2,000	1,916	1,750	1,623	586	-
Black, both sexes.....	2,558	-	-	-	7	28	203	853	867	404	157	39	-
Male.....	1,682	-	-	-	5	14	124	560	606	272	90	11	-
Female.....	876	-	-	-	2	14	79	293	261	132	67	28	-
American Indian 1/, both sexes.....	709	1	-	-	3	37	145	259	167	66	20	11	-
Male.....	415	1	-	-	2	22	90	153	93	38	12	4	-
Female.....	294	-	-	-	1	15	55	106	74	28	8	7	-
Asian or Pacific Islander 2/, both sexes	408	-	-	-	-	9	38	93	91	73	82	22	-
Male.....	253	-	-	-	-	6	31	68	70	35	35	8	-
Female.....	155	-	-	-	-	3	7	25	21	38	47	14	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Alcoholic liver disease (K70)													
All races, both sexes.....	14,406	-	-	-	17	293	1,834	5,126	4,309	1,959	747	118	3
Male.....	10,549	-	-	-	8	201	1,220	3,680	3,294	1,505	554	84	3
Female.....	3,857	-	-	-	9	92	614	1,446	1,015	454	193	34	-
White, both sexes.....	12,541	-	-	-	12	235	1,565	4,437	3,764	1,727	688	110	3
Male.....	9,267	-	-	-	6	168	1,049	3,222	2,905	1,324	511	79	3
Female.....	3,274	-	-	-	6	67	516	1,215	859	403	177	31	-
Black, both sexes.....	1,203	-	-	-	4	20	127	434	398	175	39	6	-
Male.....	851	-	-	-	2	10	77	297	293	139	30	3	-
Female.....	352	-	-	-	2	10	50	137	105	36	9	3	-
American Indian 1/, both sexes.....	500	-	-	-	1	31	115	199	105	41	8	-	-
Male.....	304	-	-	-	-	19	72	118	61	29	5	-	-
Female.....	196	-	-	-	1	12	43	81	44	12	3	-	-
Asian or Pacific Islander 2/, both sexes	162	-	-	-	-	7	27	56	42	16	12	2	-
Male.....	127	-	-	-	-	4	22	43	35	13	8	2	-
Female.....	35	-	-	-	-	3	5	13	7	3	4	-	-
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	14,759	4	4	-	13	91	736	3,086	3,695	3,208	2,947	975	-
Male.....	8,602	3	2	-	6	60	502	2,108	2,438	1,714	1,395	374	-
Female.....	6,157	1	2	-	7	31	234	978	1,257	1,494	1,552	601	-
White, both sexes.....	12,949	3	4	-	8	75	619	2,570	3,115	2,897	2,747	911	-
Male.....	7,534	2	2	-	1	51	428	1,785	2,058	1,550	1,301	356	-
Female.....	5,415	1	2	-	7	24	191	785	1,057	1,347	1,446	555	-
Black, both sexes.....	1,355	-	-	-	3	8	76	419	469	229	118	33	-
Male.....	831	-	-	-	3	4	47	263	313	133	60	8	-
Female.....	524	-	-	-	-	4	29	156	156	96	58	25	-
American Indian 1/, both sexes.....	209	1	-	-	2	6	30	60	62	25	12	11	-
Male.....	111	1	-	-	2	3	18	35	32	9	7	4	-
Female.....	98	-	-	-	-	3	12	25	30	16	5	7	-
Asian or Pacific Islander 2/, both sexes	246	-	-	-	-	2	11	37	49	57	70	20	-
Male.....	126	-	-	-	-	2	9	25	35	22	27	6	-
Female.....	120	-	-	-	-	-	2	12	14	35	43	14	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	3,237	1	2	1	7	23	54	132	240	482	1,011	1,284	-
Male.....	1,441	1	2	-	1	8	29	71	131	269	507	422	-
Female.....	1,796	-	-	1	6	15	25	61	109	213	504	862	-
White, both sexes.....	2,839	1	2	1	6	18	37	96	190	409	891	1,188	-
Male.....	1,280	1	2	-	1	7	19	54	112	236	458	390	-
Female.....	1,559	-	-	1	5	11	18	42	78	173	433	798	-
Black, both sexes.....	299	-	-	-	1	5	11	27	43	52	88	72	-
Male.....	118	-	-	-	-	1	7	11	16	22	38	23	-
Female.....	181	-	-	-	1	4	4	16	27	30	50	49	-
American Indian 1/, both sexes.....	23	-	-	-	-	-	3	4	2	3	6	5	-
Male.....	10	-	-	-	-	-	1	2	1	1	2	3	-
Female.....	13	-	-	-	-	-	2	2	1	2	4	2	-
Asian or Pacific Islander 2/, both sexes	76	-	-	-	-	-	3	5	5	18	26	19	-
Male.....	33	-	-	-	-	-	2	4	2	10	9	6	-
Female.....	43	-	-	-	-	-	1	1	3	8	17	13	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	46,448	144	22	24	86	261	754	2,233	4,440	7,752	14,711	16,021	-
Male.....	22,616	78	11	13	42	141	428	1,260	2,478	4,044	7,435	6,686	-
Female.....	23,832	66	11	11	44	120	326	973	1,962	3,708	7,276	9,335	-
White, both sexes.....	36,871	94	14	18	57	141	406	1,346	2,892	5,655	12,282	13,966	-
Male.....	18,242	48	6	8	27	76	242	788	1,655	3,025	6,400	5,967	-
Female.....	18,629	46	8	10	30	65	164	558	1,237	2,630	5,882	7,999	-
Black, both sexes.....	8,392	47	6	3	28	113	330	823	1,391	1,841	2,059	1,751	-
Male.....	3,772	29	4	2	14	60	177	435	730	877	863	581	-
Female.....	4,620	18	2	1	14	53	153	388	661	964	1,196	1,170	-
American Indian 1/, both sexes.....	292	2	1	1	-	1	11	23	57	74	68	54	-
Male.....	126	1	1	1	-	1	5	11	26	35	23	22	-
Female.....	166	1	-	-	-	-	6	12	31	39	45	32	-
Asian or Pacific Islander 2/, both sexes	893	1	1	2	1	6	7	41	100	182	302	250	-
Male.....	476	-	-	2	1	4	4	26	67	107	149	116	-
Female.....	417	1	1	-	-	2	3	15	33	75	153	134	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)													
All races, both sexes.....	206	5	3	3	1	7	6	13	22	35	62	49	-
Male.....	111	4	-	1	-	5	3	10	13	18	36	21	-
Female.....	95	1	3	2	1	2	3	3	9	17	26	28	-
White, both sexes.....	168	4	2	2	1	4	5	9	17	27	53	44	-
Male.....	91	4	-	-	-	3	3	7	10	13	32	19	-
Female.....	77	-	2	2	1	1	2	2	7	14	21	25	-
Black, both sexes.....	35	1	-	1	-	3	1	4	5	8	7	5	-
Male.....	18	-	-	1	-	2	-	3	3	5	2	2	-
Female.....	17	1	-	-	-	1	1	1	2	3	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	3	-	1	-	-	-	-	-	-	-	2	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)													
All races, both sexes.....	2,958	1	2	3	8	17	51	126	208	384	928	1,230	-
Male.....	1,452	-	-	1	5	11	24	73	126	217	463	532	-
Female.....	1,506	1	2	2	3	6	27	53	82	167	465	698	-
White, both sexes.....	2,350	1	1	2	7	11	30	80	145	279	754	1,040	-
Male.....	1,179	-	-	-	4	7	15	48	91	165	390	459	-
Female.....	1,171	1	1	2	3	4	15	32	54	114	364	581	-
Black, both sexes.....	520	-	1	-	1	6	20	43	56	93	145	155	-
Male.....	229	-	-	-	1	4	9	23	32	47	60	53	-
Female.....	291	-	1	-	-	2	11	20	24	46	85	102	-
American Indian 1/, both sexes.....	15	-	-	1	-	-	-	-	2	1	4	7	-
Male.....	5	-	-	1	-	-	-	-	-	-	1	3	-
Female.....	10	-	-	-	-	-	-	-	2	1	3	4	-
Asian or Pacific Islander 2/, both sexes	73	-	-	-	-	-	1	3	5	11	25	28	-
Male.....	39	-	-	-	-	-	-	2	3	5	12	17	-
Female.....	34	-	-	-	-	-	1	1	2	6	13	11	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	116	4	-	-	1	5	6	14	19	22	21	24	-
Male.....
Female.....	116	4	-	-	1	5	6	14	19	22	21	24	-
White, both sexes.....	90	2	-	-	-	2	4	10	15	15	21	21	-
Male.....
Female.....	90	2	-	-	-	2	4	10	15	15	21	21	-
Black, both sexes.....	20	2	-	-	-	2	2	2	3	6	-	3	-
Male.....
Female.....	20	2	-	-	-	2	2	2	3	6	-	3	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	4	-	-	-	1	1	-	-	1	1	-	-	-
Male.....
Female.....	4	-	-	-	1	1	-	-	1	1	-	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All races, both sexes.....	769	1	160	326	220	59	2	1	-	-	-
Male.....
Female.....	769	1	160	326	220	59	2	1	-	-	-
White, both sexes.....	465	1	86	193	137	45	2	1	-	-	-
Male.....
Female.....	465	1	86	193	137	45	2	1	-	-	-
Black, both sexes.....	251	-	69	108	61	13	-	-	-	-	-
Male.....
Female.....	251	-	69	108	61	13	-	-	-	-	-
American Indian 1/, both sexes.....	18	-	4	7	7	-	-	-	-	-	-
Male.....
Female.....	18	-	4	7	7	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	35	-	1	18	15	1	-	-	-	-	-
Male.....
Female.....	35	-	1	18	15	1	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	31	-	7	16	6	2	-	-	-	-	-
Male.....
Female.....	31	-	7	16	6	2	-	-	-	-	-
White, both sexes.....	12	-	1	7	3	1	-	-	-	-	-
Male.....
Female.....	12	-	1	7	3	1	-	-	-	-	-
Black, both sexes.....	18	-	6	8	3	1	-	-	-	-	-
Male.....
Female.....	18	-	6	8	3	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	1	-	-	1	-	-	-	-	-	-	-
Male.....
Female.....	1	-	-	1	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	738	1	153	310	214	57	2	1	-	-	-
Male.....
Female.....	738	1	153	310	214	57	2	1	-	-	-
White, both sexes.....	453	1	85	186	134	44	2	1	-	-	-
Male.....
Female.....	453	1	85	186	134	44	2	1	-	-	-
Black, both sexes.....	233	-	63	100	58	12	-	-	-	-	-
Male.....
Female.....	233	-	63	100	58	12	-	-	-	-	-
American Indian 1/, both sexes.....	18	-	4	7	7	-	-	-	-	-	-
Male.....
Female.....	18	-	4	7	7	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	34	-	1	17	15	1	-	-	-	-	-
Male.....
Female.....	34	-	1	17	15	1	-	-	-	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,599	14,466	70	22	17	3	4	5	3	3	1	-	5
Male.....	8,218	8,140	34	14	10	3	3	4	3	3	1	-	3
Female.....	6,381	6,326	36	8	7	-	1	1	-	-	-	-	2
White, both sexes.....	8,890	8,801	40	16	15	3	2	5	2	1	1	-	4
Male.....	4,999	4,945	19	11	9	3	1	4	2	1	1	-	3
Female.....	3,891	3,856	21	5	6	-	1	1	-	-	-	-	1
Black, both sexes.....	5,052	5,013	27	6	2	-	1	-	1	1	-	-	1
Male.....	2,846	2,827	12	3	1	-	1	-	1	1	-	-	-
Female.....	2,206	2,186	15	3	1	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	158	157	1	-	-	-	-	-	-	-	-	-	-
Male.....	83	82	1	-	-	-	-	-	-	-	-	-	-
Female.....	75	75	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	499	495	2	-	-	-	1	-	-	1	-	-	-
Male.....	290	286	2	-	-	-	1	-	-	1	-	-	-
Female.....	209	209	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (000-099)													
All races, both sexes.....	10,421	5,785	546	374	402	417	513	685	686	341	406	265	1
Male.....	5,455	3,066	286	194	241	243	257	359	376	166	178	88	1
Female.....	4,966	2,719	260	180	161	174	256	326	310	175	228	177	-
White, both sexes.....	8,155	4,351	396	274	299	322	421	573	615	295	365	243	1
Male.....	4,297	2,330	211	145	175	185	214	302	340	151	161	82	1
Female.....	3,858	2,021	185	129	124	137	207	271	275	144	204	161	-
Black, both sexes.....	1,807	1,137	119	77	83	83	79	82	60	35	34	18	-
Male.....	924	582	58	37	53	53	39	41	32	11	14	4	-
Female.....	883	555	61	40	30	30	40	41	28	24	20	14	-
American Indian 1/, both sexes.....	124	82	8	6	6	3	4	8	2	4	-	1	-
Male.....	62	39	5	3	4	2	1	5	1	1	-	1	-
Female.....	62	43	3	3	2	1	3	3	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes	335	215	23	17	14	9	9	22	9	7	7	3	-
Male.....	172	115	12	9	9	3	3	11	3	3	3	1	-
Female.....	163	100	11	8	5	6	6	11	6	4	4	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	33,500	3,617	237	110	575	877	1,424	2,195	2,229	2,499	5,834	13,860	43
Male.....	14,282	2,098	133	63	396	586	890	1,369	1,394	1,377	2,435	3,511	30
Female.....	19,218	1,519	104	47	179	291	534	826	835	1,122	3,399	10,349	13
White, both sexes.....	28,126	2,347	172	80	439	641	1,082	1,643	1,780	2,065	5,148	12,700	29
Male.....	11,642	1,390	99	46	306	437	676	1,028	1,115	1,146	2,163	3,215	21
Female.....	16,484	957	73	34	133	204	406	615	665	919	2,985	9,485	8
Black, both sexes.....	4,651	1,106	49	24	117	214	302	493	396	381	597	961	11
Male.....	2,264	606	25	13	78	133	184	302	252	211	238	215	7
Female.....	2,387	500	24	11	39	81	118	191	144	170	359	746	4
American Indian 1/, both sexes.....	261	92	7	-	10	12	23	32	24	14	16	31	-
Male.....	164	60	5	-	7	11	15	22	16	5	6	17	-
Female.....	97	32	2	-	3	1	8	10	8	9	10	14	-
Asian or Pacific Islander 2/, both sexes	462	72	9	6	9	10	17	27	29	39	73	168	3
Male.....	212	42	4	4	5	5	15	17	11	15	28	64	2
Female.....	250	30	5	2	4	5	2	10	18	24	45	104	1
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)													
All races, both sexes.....	238,192	1,337	599	876	1,957	3,149	7,068	16,499	22,895	28,838	61,153	93,813	8
Male.....	96,447	779	326	518	1,154	1,787	4,038	9,787	12,722	14,363	25,221	25,747	5
Female.....	141,745	558	273	358	803	1,362	3,030	6,712	10,173	14,475	35,932	68,066	3
White, both sexes.....	206,947	836	399	641	1,471	2,241	5,196	12,821	18,658	24,356	54,476	85,846	6
Male.....	82,943	486	219	375	890	1,330	3,074	7,780	10,443	12,160	22,547	23,635	4
Female.....	124,004	350	180	266	581	911	2,122	5,041	8,215	12,196	31,929	62,211	2
Black, both sexes.....	26,371	421	155	191	406	774	1,631	3,248	3,703	3,768	5,546	6,526	2
Male.....	11,280	245	80	118	215	383	818	1,754	1,998	1,859	2,205	1,604	1
Female.....	15,091	176	75	73	191	391	813	1,494	1,705	1,909	3,341	4,922	1
American Indian 1/, both sexes.....	1,412	14	12	15	27	64	142	210	223	222	245	238	-
Male.....	669	7	6	10	16	39	84	117	110	96	106	78	-
Female.....	743	7	6	5	11	25	58	93	113	126	139	160	-
Asian or Pacific Islander 2/, both sexes	3,462	66	33	29	53	70	99	220	311	492	886	1,203	-
Male.....	1,555	41	21	15	33	35	62	136	171	248	363	430	-
Female.....	1,907	25	12	14	20	35	37	84	140	244	523	773	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	123,706	1,285	1,588	2,194	15,897	14,977	16,931	20,315	12,193	8,753	13,736	15,803	34
Male.....	79,827	715	987	1,346	11,905	11,384	12,022	14,017	8,357	5,593	7,268	6,201	32
Female.....	43,879	570	601	848	3,992	3,593	4,909	6,298	3,836	3,160	6,468	9,602	2
White, both sexes.....	106,252	803	1,169	1,625	13,481	12,646	14,211	17,018	10,224	7,529	12,584	14,933	29
Male.....	68,059	455	738	1,000	10,121	9,624	10,074	11,725	6,984	4,798	6,663	5,848	29
Female.....	38,193	348	431	625	3,360	3,022	4,137	5,293	3,240	2,731	5,921	9,085	-
Black, both sexes.....	13,559	428	325	459	1,749	1,779	2,158	2,766	1,599	911	764	617	4
Male.....	9,268	222	189	279	1,309	1,369	1,563	1,949	1,151	604	398	233	2
Female.....	4,291	206	136	180	440	410	595	817	448	307	366	384	2
American Indian 1/, both sexes.....	1,701	31	43	46	319	309	320	280	150	93	77	33	-
Male.....	1,129	23	24	30	224	214	216	177	95	62	50	14	-
Female.....	572	8	19	16	95	95	104	103	55	31	27	19	-
Asian or Pacific Islander 2/, both sexes	2,194	23	51	64	348	243	242	251	220	220	311	220	1
Male.....	1,371	15	36	37	251	177	169	166	127	129	157	106	1
Female.....	823	8	15	27	97	66	73	85	93	91	154	114	-
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	46,844	127	581	1,374	10,928	7,452	6,829	7,199	4,838	3,194	2,983	1,326	13
Male.....	33,434	58	328	813	7,943	5,710	5,084	5,348	3,460	2,138	1,798	741	13
Female.....	13,410	69	253	561	2,985	1,742	1,745	1,851	1,378	1,056	1,185	585	-
White, both sexes.....	39,086	93	426	1,079	9,115	6,002	5,553	6,029	4,121	2,759	2,683	1,214	12
Male.....	27,864	46	248	639	6,626	4,592	4,125	4,491	2,954	1,854	1,607	670	12
Female.....	11,222	47	178	440	2,489	1,410	1,428	1,538	1,167	905	1,076	544	-
Black, both sexes.....	5,859	28	120	238	1,316	1,112	1,004	934	547	297	191	71	1
Male.....	4,336	11	61	141	975	881	781	706	401	204	128	46	1
Female.....	1,523	17	59	97	341	231	223	228	146	93	63	25	-
American Indian 1/, both sexes.....	850	4	19	24	231	196	152	108	60	35	19	2	-
Male.....	576	1	9	14	155	138	98	74	47	25	13	2	-
Female.....	274	3	10	10	76	58	54	34	13	10	6	-	-
Asian or Pacific Islander 2/, both sexes	1,049	2	16	33	266	142	120	128	110	103	90	39	-
Male.....	658	-	10	19	187	99	80	77	58	55	50	23	-
Female.....	391	2	6	14	79	43	40	51	52	48	40	16	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	43,945	124	551	1,285	10,568	7,087	6,370	6,530	4,359	2,940	2,845	1,277	9
Male.....	31,102	57	309	765	7,667	5,413	4,702	4,789	3,065	1,924	1,694	708	9
Female.....	12,843	67	242	520	2,901	1,674	1,668	1,741	1,294	1,016	1,151	569	-
White, both sexes.....	36,653	91	401	1,010	8,825	5,706	5,174	5,462	3,706	2,539	2,561	1,169	9
Male.....	25,903	46	232	604	6,400	4,349	3,807	4,022	2,612	1,669	1,514	639	9
Female.....	10,750	45	169	406	2,425	1,357	1,367	1,440	1,094	870	1,047	530	-
Black, both sexes.....	5,519	27	117	223	1,262	1,068	949	851	497	274	181	70	-
Male.....	4,058	10	59	131	935	847	735	633	358	184	120	46	-
Female.....	1,461	17	58	92	327	221	214	218	139	90	61	24	-
American Indian 1/, both sexes.....	781	4	18	22	221	179	137	96	52	32	19	1	-
Male.....	523	1	9	12	148	125	86	63	42	23	13	1	-
Female.....	258	3	9	10	73	54	51	33	10	9	6	-	-
Asian or Pacific Islander 2/, both sexes	992	2	15	30	260	134	110	121	104	95	84	37	-
Male.....	618	-	9	18	184	92	74	71	53	48	47	22	-
Female.....	374	2	6	12	76	42	36	50	51	47	37	15	-
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,083	1	19	53	174	134	181	235	123	81	61	18	3
Male.....	856	-	13	27	129	114	150	197	102	68	40	13	3
Female.....	227	1	6	26	45	20	31	38	21	13	21	5	-
White, both sexes.....	852	1	14	42	137	101	127	189	103	68	52	16	2
Male.....	676	-	10	18	105	89	106	159	82	58	36	11	2
Female.....	176	1	4	24	32	12	21	30	21	10	16	5	-
Black, both sexes.....	165	-	3	9	30	20	36	38	17	6	5	-	1
Male.....	129	-	2	7	19	15	30	31	17	4	3	-	1
Female.....	36	-	1	2	11	5	6	7	-	2	2	-	-
American Indian 1/, both sexes.....	39	-	1	2	6	10	13	5	1	-	-	1	-
Male.....	31	-	-	2	4	7	11	5	1	-	-	1	-
Female.....	8	-	1	-	2	3	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	27	-	1	-	1	3	5	3	2	7	4	1	-
Male.....	20	-	1	-	1	3	3	2	2	6	1	1	-
Female.....	7	-	-	-	-	-	2	1	-	1	3	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,816	2	11	36	186	231	278	434	356	173	77	31	1
Male.....	1,476	1	6	21	147	183	232	362	293	146	64	20	1
Female.....	340	1	5	15	39	48	46	72	63	27	13	11	-
White, both sexes.....	1,581	1	11	27	153	195	252	378	312	152	70	29	1
Male.....	1,285	-	6	17	121	154	212	310	260	127	57	20	1
Female.....	296	1	5	10	32	41	40	68	52	25	13	9	-
Black, both sexes.....	175	1	-	6	24	24	19	45	33	17	5	1	-
Male.....	149	1	-	3	21	19	16	42	26	16	5	-	-
Female.....	26	-	-	3	3	5	3	3	7	1	-	1	-
American Indian 1/, both sexes.....	30	-	-	-	4	7	2	7	7	3	-	-	-
Male.....	22	-	-	-	3	6	1	6	4	2	-	-	-
Female.....	8	-	-	-	1	1	1	1	3	1	-	-	-
Asian or Pacific Islander 2/, both sexes	30	-	-	3	5	5	5	4	4	1	2	1	-
Male.....	20	-	-	1	2	4	3	4	3	1	2	-	-
Female.....	10	-	-	2	3	1	2	-	1	-	-	1	-
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	76,862	1,158	1,007	820	4,969	7,525	10,102	13,116	7,355	5,559	10,753	14,477	21
Male.....	46,393	657	659	533	3,962	5,674	6,938	8,669	4,897	3,455	5,470	5,460	19
Female.....	30,469	501	348	287	1,007	1,851	3,164	4,447	2,458	2,104	5,283	9,017	2
White, both sexes.....	67,166	710	743	546	4,366	6,644	8,658	10,989	6,103	4,770	9,901	13,719	17
Male.....	40,195	409	490	361	3,495	5,032	5,949	7,234	4,030	2,944	5,056	5,178	17
Female.....	26,971	301	253	185	871	1,612	2,709	3,755	2,073	1,826	4,845	8,541	-
Black, both sexes.....	7,700	400	205	221	433	667	1,154	1,832	1,052	614	573	546	3
Male.....	4,932	211	128	138	334	488	782	1,243	750	400	270	187	1
Female.....	2,768	189	77	83	99	179	372	589	302	214	303	359	2
American Indian 1/, both sexes.....	851	27	24	22	88	113	168	172	90	58	58	31	-
Male.....	553	22	15	16	69	76	118	103	48	37	37	12	-
Female.....	298	5	9	6	19	37	50	69	42	21	21	19	-
Asian or Pacific Islander 2/, both sexes	1,145	21	35	31	82	101	122	123	110	117	221	181	1
Male.....	713	15	26	18	64	78	89	89	69	74	107	83	1
Female.....	432	6	9	13	18	23	33	34	41	43	114	98	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,443	57	458	224	630	381	417	481	324	194	184	88	5
Male.....	2,681	31	310	157	555	330	334	385	254	148	118	54	5
Female.....	762	26	148	67	75	51	83	96	70	46	66	34	-
White, both sexes.....	2,714	39	381	135	461	275	331	406	274	162	165	80	5
Male.....	2,090	19	249	97	404	238	260	324	210	126	107	51	5
Female.....	624	20	132	38	57	37	71	82	64	36	58	29	-
Black, both sexes.....	511	16	51	71	129	73	51	53	34	20	7	6	-
Male.....	419	10	41	46	118	64	44	45	30	15	4	2	-
Female.....	92	6	10	25	11	9	7	8	4	5	3	4	-
American Indian 1/, both sexes.....	67	1	13	3	13	10	12	7	6	2	-	-	-
Male.....	57	1	10	3	11	9	11	6	5	1	-	-	-
Female.....	10	-	3	-	2	1	1	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes	151	1	13	15	27	23	23	15	10	10	12	2	-
Male.....	115	1	10	11	22	19	19	10	9	6	7	1	-
Female.....	36	-	3	4	5	4	4	5	1	4	5	1	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,286	38	201	211	194	222	307	488	492	421	436	272	4
Male.....	1,943	20	130	116	124	137	198	306	330	252	212	115	3
Female.....	1,343	18	71	95	70	85	109	182	162	169	224	157	1
White, both sexes.....	2,420	23	108	114	153	163	220	375	391	320	347	203	3
Male.....	1,426	11	76	60	100	103	138	236	258	185	171	85	3
Female.....	994	12	32	54	53	60	82	139	133	135	176	118	-
Black, both sexes.....	772	15	81	87	35	53	74	101	91	91	81	62	1
Male.....	459	9	46	49	19	30	51	64	65	61	38	27	-
Female.....	313	6	35	38	16	23	23	37	26	30	43	35	1
American Indian 1/, both sexes.....	42	-	4	4	2	3	7	6	4	7	4	1	-
Male.....	24	-	2	3	2	2	4	2	2	4	3	-	-
Female.....	18	-	2	1	-	1	3	4	2	3	1	1	-
Asian or Pacific Islander 2/, both sexes	52	-	8	6	4	3	6	6	6	3	4	6	-
Male.....	34	-	6	4	3	2	5	4	5	2	-	3	-
Female.....	18	-	2	2	1	1	1	2	1	1	4	3	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	29,846	19	34	81	3,159	5,700	7,575	9,006	3,120	602	355	192	3
Male.....	19,644	13	17	50	2,430	4,171	4,947	5,535	1,905	354	154	65	3
Female.....	10,202	6	17	31	729	1,529	2,628	3,471	1,215	248	201	127	-
White, both sexes.....	25,973	8	17	59	2,928	5,185	6,650	7,609	2,525	499	315	176	2
Male.....	17,135	6	12	35	2,272	3,819	4,370	4,649	1,491	281	136	62	2
Female.....	8,838	2	5	24	656	1,366	2,280	2,960	1,034	218	179	114	-
Black, both sexes.....	3,273	8	15	15	152	389	772	1,249	531	96	32	13	1
Male.....	2,150	4	5	11	104	272	483	804	380	69	14	3	1
Female.....	1,123	4	10	4	48	117	289	445	151	27	18	10	-
American Indian 1/, both sexes.....	375	2	2	3	51	74	95	102	37	4	3	2	-
Male.....	213	2	-	3	34	45	58	50	15	4	2	-	-
Female.....	162	-	2	-	17	29	37	52	22	-	1	2	-
Asian or Pacific Islander 2/, both sexes	225	1	-	4	28	52	58	46	27	3	5	1	-
Male.....	146	1	-	1	20	35	36	32	19	-	2	-	-
Female.....	79	-	-	3	8	17	22	14	8	3	3	1	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,043	1,019	260	226	598	794	1,119	1,755	1,623	1,717	3,195	4,730	7
Male.....	9,991	578	164	146	509	666	909	1,390	1,174	1,096	1,628	1,725	6
Female.....	7,052	441	96	80	89	128	210	365	449	621	1,567	3,005	1
White, both sexes.....	14,571	620	202	178	517	664	887	1,417	1,335	1,442	2,879	4,425	5
Male.....	8,495	361	127	119	450	564	720	1,132	991	926	1,480	1,620	5
Female.....	6,076	259	75	59	67	100	167	285	344	516	1,399	2,805	-
Black, both sexes.....	2,002	356	48	32	54	98	178	273	240	234	244	244	1
Male.....	1,188	185	29	19	36	75	143	208	160	140	114	79	-
Female.....	814	171	19	13	18	23	35	65	80	94	130	165	1
American Indian 1/, both sexes.....	224	24	2	11	14	19	38	39	28	17	17	15	-
Male.....	160	19	2	6	14	15	32	31	15	11	10	5	-
Female.....	64	5	-	5	-	4	6	8	13	6	7	10	-
Asian or Pacific Islander 2/, both sexes	246	19	8	5	13	13	16	26	20	24	55	46	1
Male.....	148	13	6	2	9	12	14	19	8	19	24	21	1
Female.....	98	6	2	3	4	1	2	7	12	5	31	25	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	34,598	184	4,140	5,278	6,722	7,778	5,069	2,444	2,119	858	6
Male.....	27,269	131	3,481	4,281	5,152	5,824	3,826	2,003	1,824	742	5
Female.....	7,329	53	659	997	1,570	1,954	1,243	441	295	116	1
White, both sexes.....	31,348	125	3,442	4,524	6,033	7,259	4,792	2,317	2,017	834	5
Male.....	24,725	91	2,896	3,676	4,628	5,436	3,618	1,901	1,750	725	4
Female.....	6,623	34	546	848	1,405	1,823	1,174	416	267	109	1
Black, both sexes.....	1,958	42	406	481	424	321	158	71	48	6	1
Male.....	1,606	30	352	409	334	245	126	64	42	3	1
Female.....	352	12	54	72	90	76	32	7	6	3	-
American Indian 1/, both sexes.....	392	9	122	98	74	50	23	11	4	1	-
Male.....	310	6	99	81	59	37	17	7	4	-	-
Female.....	82	3	23	17	15	13	6	4	-	1	-
Asian or Pacific Islander 2/, both sexes	900	8	170	175	191	148	96	45	50	17	-
Male.....	628	4	134	115	131	106	65	31	28	14	-
Female.....	272	4	36	60	60	42	31	14	22	3	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	17,352	53	1,900	2,306	2,879	3,531	2,786	1,700	1,589	606	2
Male.....	15,181	45	1,727	2,033	2,393	2,977	2,397	1,539	1,483	585	2
Female.....	2,171	8	173	273	486	554	389	161	106	21	-
White, both sexes.....	16,009	43	1,563	1,993	2,644	3,333	2,660	1,634	1,537	600	2
Male.....	13,986	36	1,412	1,754	2,190	2,809	2,287	1,479	1,437	580	2
Female.....	2,023	7	151	239	454	524	373	155	100	20	-
Black, both sexes.....	987	9	237	251	177	141	83	46	39	4	-
Male.....	881	8	222	224	152	118	75	44	35	3	-
Female.....	106	1	15	27	25	23	8	2	4	1	-
American Indian 1/, both sexes.....	135	1	43	21	21	24	13	8	4	-	-
Male.....	116	1	39	18	19	19	11	5	4	-	-
Female.....	19	-	4	3	2	5	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes	221	-	57	41	37	33	30	12	9	2	-
Male.....	198	-	54	37	32	31	24	11	7	2	-
Female.....	23	-	3	4	5	2	6	1	2	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	17,246	131	2,240	2,972	3,843	4,247	2,283	744	530	252	4
Male.....	12,088	86	1,754	2,248	2,759	2,847	1,429	464	341	157	3
Female.....	5,158	45	486	724	1,084	1,400	854	280	189	95	1
White, both sexes.....	15,339	82	1,879	2,531	3,389	3,926	2,132	683	480	234	3
Male.....	10,739	55	1,484	1,922	2,438	2,627	1,331	422	313	145	2
Female.....	4,600	27	395	609	951	1,299	801	261	167	89	1
Black, both sexes.....	971	33	169	230	247	180	75	25	9	2	1
Male.....	725	22	130	185	182	127	51	20	7	-	1
Female.....	246	11	39	45	65	53	24	5	2	2	-
American Indian 1/, both sexes.....	257	8	79	77	53	26	10	3	-	1	-
Male.....	194	5	60	63	40	18	6	2	-	-	-
Female.....	63	3	19	14	13	8	4	1	-	1	-
Asian or Pacific Islander 2/, both sexes	679	8	113	134	154	115	66	33	41	15	-
Male.....	430	4	80	78	99	75	41	20	21	12	-
Female.....	249	4	33	56	55	40	25	13	20	3	-
Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)													
All races, both sexes.....	18,361	352	398	346	5,551	4,758	3,052	2,140	980	411	268	80	25
Male.....	14,538	206	213	210	4,829	4,019	2,289	1,572	727	279	149	26	19
Female.....	3,823	146	185	136	722	739	763	568	253	132	119	54	6
White, both sexes.....	8,914	228	216	196	2,193	2,050	1,577	1,271	616	289	196	61	21
Male.....	6,541	130	116	106	1,792	1,625	1,117	903	430	189	99	17	17
Female.....	2,373	98	100	90	401	425	460	368	186	100	97	44	4
Black, both sexes.....	8,870	110	168	140	3,213	2,560	1,366	802	319	106	66	17	3
Male.....	7,584	70	89	96	2,918	2,283	1,100	623	268	79	49	8	1
Female.....	1,286	40	79	44	295	277	266	179	51	27	17	9	2
American Indian 1/, both sexes.....	220	9	5	3	57	65	43	23	8	4	2	1	-
Male.....	163	4	3	3	45	52	32	16	6	2	-	-	-
Female.....	57	5	2	-	12	13	11	7	2	2	2	1	-
Asian or Pacific Islander 2/, both sexes	357	5	9	7	88	83	66	44	37	12	4	1	1
Male.....	250	2	5	5	74	59	40	30	23	9	1	1	1
Female.....	107	3	4	2	14	24	26	14	14	3	3	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	12,632	15	48	201	4,669	3,751	2,038	1,159	446	185	88	23	9
Male.....	10,767	11	23	141	4,199	3,324	1,645	902	341	121	48	3	9
Female.....	1,865	4	25	60	470	427	393	257	105	64	40	20	-
White, both sexes.....	5,380	10	26	103	1,659	1,454	978	653	270	133	67	19	8
Male.....	4,240	8	14	66	1,407	1,208	748	477	191	80	31	2	8
Female.....	1,140	2	12	37	252	246	230	176	79	53	36	17	-
Black, both sexes.....	6,960	5	20	92	2,918	2,217	1,007	468	163	46	20	4	-
Male.....	6,281	3	8	69	2,709	2,045	857	395	141	36	17	1	-
Female.....	679	2	12	23	209	172	150	73	22	10	3	3	-
American Indian 1/, both sexes.....	91	-	2	3	29	30	15	10	1	1	-	-	-
Male.....	78	-	1	3	26	27	12	7	1	1	-	-	-
Female.....	13	-	1	-	3	3	3	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	201	-	-	3	63	50	38	28	12	5	1	-	1
Male.....	168	-	-	3	57	44	28	23	8	4	-	-	1
Female.....	33	-	-	-	6	6	10	5	4	1	1	-	-
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,729	337	350	145	882	1,007	1,014	981	534	226	180	57	16
Male.....	3,771	195	190	69	630	695	644	670	386	158	101	23	10
Female.....	1,958	142	160	76	252	312	370	311	148	68	79	34	6
White, both sexes.....	3,534	218	190	93	534	596	599	618	346	156	129	42	13
Male.....	2,301	122	102	40	385	417	369	426	239	109	68	15	9
Female.....	1,233	96	88	53	149	179	230	192	107	47	61	27	4
Black, both sexes.....	1,910	105	148	48	295	343	359	334	156	60	46	13	3
Male.....	1,303	67	81	27	209	238	243	228	127	43	32	7	1
Female.....	607	38	67	21	86	105	116	106	29	17	14	6	2
American Indian 1/, both sexes.....	129	9	3	-	28	35	28	13	7	3	2	1	-
Male.....	85	4	2	-	19	25	20	9	5	1	-	-	-
Female.....	44	5	1	-	9	10	8	4	2	2	2	1	-
Asian or Pacific Islander 2/, both sexes	156	5	9	4	25	33	28	16	25	7	3	1	-
Male.....	82	2	5	2	17	15	12	7	15	5	1	1	-
Female.....	74	3	4	2	8	18	16	9	10	2	2	-	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	412	-	-	1	97	127	96	64	19	5	2	1	-
Male.....	400	-	-	1	94	126	91	61	19	5	2	1	-
Female.....	12	-	-	-	3	1	5	3	-	-	-	-	-
White, both sexes.....	276	-	-	1	47	82	76	49	13	5	2	1	-
Male.....	267	-	-	1	46	81	71	47	13	5	2	1	-
Female.....	9	-	-	-	1	1	5	2	-	-	-	-	-
Black, both sexes.....	127	-	-	-	48	43	17	13	6	-	-	-	-
Male.....	124	-	-	-	46	43	17	12	6	-	-	-	-
Female.....	3	-	-	-	2	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Male.....	3	-	-	-	1	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	6	-	-	-	1	1	2	2	-	-	-	-	-
Male.....	6	-	-	-	1	1	2	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)													
All races, both sexes.....	5,381	88	49	49	579	872	1,251	1,501	599	183	132	70	8
Male.....	3,351	55	26	31	445	569	787	859	357	109	78	28	7
Female.....	2,030	33	23	18	134	303	464	642	242	74	54	42	1
White, both sexes.....	4,449	54	36	37	477	754	1,042	1,240	482	151	106	65	5
Male.....	2,721	34	17	20	364	491	649	688	281	86	59	27	5
Female.....	1,728	20	19	17	113	263	393	552	201	65	47	38	-
Black, both sexes.....	760	29	12	11	70	90	168	229	98	28	20	2	3
Male.....	527	18	9	10	60	60	114	149	70	20	15	-	2
Female.....	233	11	3	1	10	30	54	80	28	8	5	2	1
American Indian 1/, both sexes.....	92	4	-	-	20	14	22	13	13	2	3	1	-
Male.....	51	2	-	-	12	8	12	9	3	2	2	1	-
Female.....	41	2	-	-	8	6	10	4	10	-	1	-	-
Asian or Pacific Islander 2/, both sexes	80	1	1	1	12	14	19	19	6	2	3	2	-
Male.....	52	1	-	1	9	10	12	13	3	1	2	-	-
Female.....	28	-	1	-	3	4	7	6	3	1	1	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	276	-	3	12	82	44	36	40	35	17	6	1	-
Male.....	223	-	2	9	71	36	29	30	27	13	5	1	-
Female.....	53	-	1	3	11	8	7	10	8	4	1	-	-
White, both sexes.....	208	-	2	9	43	34	33	34	32	15	5	1	-
Male.....	166	-	1	6	37	27	26	27	25	12	4	1	-
Female.....	42	-	1	3	6	7	7	7	7	3	1	-	-
Black, both sexes.....	57	-	1	2	33	9	1	6	2	2	1	-	-
Male.....	46	-	1	2	28	8	1	3	1	1	1	-	-
Female.....	11	-	-	-	5	1	-	3	1	1	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	5	-	1	-	-	-	-	-	-
Male.....	6	-	-	-	5	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	5	-	-	1	1	1	1	-	1	-	-	-	-
Male.....	5	-	-	1	1	1	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	5,105	88	46	37	497	828	1,215	1,461	564	166	126	69	8
Male.....	3,128	55	24	22	374	533	758	829	330	96	73	27	7
Female.....	1,977	33	22	15	123	295	457	632	234	70	53	42	1
White, both sexes.....	4,241	54	34	28	434	720	1,009	1,206	450	136	101	64	5
Male.....	2,555	34	16	14	327	464	623	661	256	74	55	26	5
Female.....	1,686	20	18	14	107	256	386	545	194	62	46	38	-
Black, both sexes.....	703	29	11	9	37	81	167	223	96	26	19	2	3
Male.....	481	18	8	8	32	52	113	146	69	19	14	-	2
Female.....	222	11	3	1	5	29	54	77	27	7	5	2	1
American Indian 1/, both sexes.....	86	4	-	-	15	14	21	13	13	2	3	1	-
Male.....	45	2	-	-	7	8	11	9	3	2	2	1	-
Female.....	41	2	-	-	8	6	10	4	10	-	1	-	-
Asian or Pacific Islander 2/, both sexes	75	1	1	-	11	13	18	19	5	2	3	2	-
Male.....	47	1	-	-	8	9	11	13	2	1	2	-	-
Female.....	28	-	1	-	3	4	7	6	3	1	1	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	21	-	-	-	3	5	-	-	6	1	5	1	-
Male.....	21	-	-	-	3	5	-	-	6	1	5	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	21	-	-	-	3	5	-	-	6	1	5	1	-
Male.....	21	-	-	-	3	5	-	-	6	1	5	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,597	22	23	21	30	72	150	250	398	486	712	433	-
Male.....	1,224	10	9	10	19	30	68	119	203	244	338	174	-
Female.....	1,373	12	14	11	11	42	82	131	195	242	374	259	-
White, both sexes.....	2,107	9	17	13	24	55	112	182	320	394	607	374	-
Male.....	1,015	3	6	8	16	24	53	94	163	198	299	151	-
Female.....	1,092	6	11	5	8	31	59	88	157	196	308	223	-
Black, both sexes.....	432	11	6	6	5	16	35	62	68	84	90	49	-
Male.....	188	6	3	2	2	5	14	22	37	41	37	19	-
Female.....	244	5	3	4	3	11	21	40	31	43	53	30	-
American Indian 1/, both sexes.....	16	1	-	-	-	-	-	1	5	1	6	2	-
Male.....	4	-	-	-	-	-	-	1	2	-	-	1	-
Female.....	12	1	-	-	-	-	-	-	3	1	6	1	-
Asian or Pacific Islander 2/, both sexes	42	1	-	2	1	1	3	5	5	7	9	8	-
Male.....	17	1	-	-	1	1	1	2	1	5	2	3	-
Female.....	25	-	-	2	-	-	2	3	4	2	7	5	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex

	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
--	----------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------------	----------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	23,199	2	-	4	194	735	3,138	8,017	6,597	2,993	1,260	253	6
Male.....	17,428	2	-	3	146	553	2,210	5,911	5,134	2,349	945	170	5
Female.....	5,771	-	-	1	48	182	928	2,106	1,463	644	315	83	1
White, both sexes.....	19,921	1	-	3	166	591	2,648	6,860	5,683	2,603	1,133	227	6
Male.....	15,027	1	-	3	128	458	1,878	5,085	4,441	2,029	843	156	5
Female.....	4,894	-	-	-	38	133	770	1,775	1,242	574	290	71	1
Black, both sexes.....	2,248	1	-	-	13	58	263	783	705	311	92	22	-
Male.....	1,703	1	-	-	10	40	175	575	551	262	77	12	-
Female.....	545	-	-	-	3	18	88	208	154	49	15	10	-
American Indian 1/, both sexes.....	774	-	-	-	14	67	181	288	147	58	18	1	-
Male.....	495	-	-	-	8	41	119	182	89	42	14	-	-
Female.....	279	-	-	-	6	26	62	106	58	16	4	1	-
Asian or Pacific Islander 2/, both sexes	256	-	-	1	1	19	46	86	62	21	17	3	-
Male.....	203	-	-	-	-	14	38	69	53	16	11	2	-
Female.....	53	-	-	1	1	5	8	17	9	5	6	1	-

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0, G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	38,371	33	44	75	3,675	6,950	9,671	11,792	4,453	905	505	264	4
Male.....	23,883	18	21	43	2,760	4,859	6,021	6,847	2,537	473	203	98	3
Female.....	14,488	15	23	32	915	2,091	3,650	4,945	1,916	432	302	166	1
White, both sexes.....	33,480	18	22	61	3,413	6,338	8,444	10,015	3,679	783	460	245	2
Male.....	20,795	10	12	33	2,582	4,459	5,283	5,745	2,004	386	187	93	1
Female.....	12,685	8	10	28	831	1,879	3,161	4,270	1,675	397	273	152	1
Black, both sexes.....	4,194	11	20	11	165	479	1,040	1,617	689	111	37	12	2
Male.....	2,708	6	9	8	116	318	636	1,024	490	84	12	3	2
Female.....	1,486	5	11	3	49	161	404	593	199	27	25	9	-
American Indian 1/, both sexes.....	388	2	1	1	52	71	102	98	50	5	3	3	-
Male.....	205	1	-	1	37	45	55	43	18	3	2	-	-
Female.....	183	1	1	-	15	26	47	55	32	2	1	3	-
Asian or Pacific Islander 2/, both sexes	309	2	1	2	45	62	85	62	35	6	5	4	-
Male.....	175	1	-	1	25	37	47	35	25	-	2	2	-
Female.....	134	1	1	1	20	25	38	27	10	6	3	2	-

Worktable 250F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 10-year age groups, race and sex: United States, 2007

[Race categories are consistent with the 1977 Office of Management and Budget (OMB) standards. In 2007, multiple-race data were reported by California, Connecticut, Delaware, District of Columbia, Florida, Hawaii, Idaho, Kansas, Maine, Michigan, Minnesota, Montana, Nebraska, New Hampshire, New Jersey, New Mexico, New York, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, South Dakota, Texas, Utah, Washington, Wisconsin, and Wyoming. The multiple-race data for these areas were bridged to the single-race categories of the 1977 OMB standards for comparability with other areas; see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Detailed technical notes to the United States 2007 data-mortality"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, Second Edition, 2004), race, and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	31,224	16	69	313	6,902	6,302	5,120	4,861	3,338	1,938	1,716	638	11
Male.....	27,047	12	39	237	6,237	5,581	4,212	4,026	2,830	1,701	1,565	596	11
Female.....	4,177	4	30	76	665	721	908	835	508	237	151	42	-
White, both sexes.....	22,296	10	40	188	3,410	3,607	3,787	4,133	3,027	1,814	1,642	628	10
Male.....	19,020	8	25	138	2,996	3,105	3,076	3,413	2,562	1,596	1,501	590	10
Female.....	3,276	2	15	50	414	502	711	720	465	218	141	38	-
Black, both sexes.....	8,242	6	26	116	3,285	2,548	1,215	627	254	97	60	8	-
Male.....	7,430	4	13	90	3,050	2,345	1,038	527	223	83	53	4	-
Female.....	812	2	13	26	235	203	177	100	31	14	7	4	-
American Indian 1/, both sexes.....	246	-	3	5	84	52	39	36	14	9	4	-	-
Male.....	213	-	1	5	77	46	34	28	12	6	4	-	-
Female.....	33	-	2	-	7	6	5	8	2	3	-	-	-
Asian or Pacific Islander 2/, both sexes	440	-	-	4	123	95	79	65	43	18	10	2	1
Male.....	384	-	-	4	114	85	64	58	33	16	7	2	1
Female.....	56	-	-	-	9	10	15	7	10	2	3	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.